



ODISHA NURSES & MIDWIVES REGISTRATION COUNCIL

Directorate of Medical Education & Training, Odisha

Bhubaneswar, Odisha-751001

e.mail: onmc.odisha1@gov.in

Letter No. 555 /ONMRC-NTI-(New)-26-27/138/2025/ Bhubaneswar

Dt. 27/02/2026

LIST OF PRIVATE NURSING INSTITUTIONS OF NEW NOC FOR THE ACADEMIC SESSION 2026-27 WHICH ARE NOT RECOMMENDED

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
1	ANJANA NURSING COLLEGE AT-ANGUL ,PO-ANGUL, VIA-ANGUL, DIST- ANGUL, PIN-759122	ANGUL	GNM	60	1. FIRE SAFETY CERTIFICATE FORM V FROM DFO FOUND REJECTED IN AGNISEVA & (LETTER NO.- 25/AGL CIRCLE) FROM DFO. 2. MOU / TRUST RESOLUTION FOR (100 BEDED) PARENT HOSPITAL -NOT SUBMITTED.
2	GURUSIKHYA COLLEGE OF NURSING AT-BHALUKI ,PO- KANTIAPASI, VIA- KHAMAR, DIST-ANGUL, PIN-759100	ANGUL	GNM	60	1. INSTITUTE BUILDING BLOCK-B IS UNDER CONSTRUCTION & NOT FULLY EQUIPPED CONFIRMED VIA VIDEOCALL ON THE DAY OF PERSONAL HEARING. 2. FAKE CLINICAL COPY SUBMITTED.
3	HILLVIEW COLLEGE OF NURSING AT-MUKTAPUR ,PO- PALLAHARA, VIA- PALLAHARA, DIST- ANGUL, PIN-759119	ANGUL	GNM	60	1. BUILDING REGARDING VIDEOCALL DONE AND FOUND MISMATCHED WITH INSPECTION REPORT(COMPLETE BUILDING CHANGED WHICH WAS NOT INSPECTED).
4	VIDYADHAARA SCHOOL OF NURSING AT-TAMRIT COLONY ,PO-ANGUL, VIA- ANGUL, DIST-ANGUL, PIN-759122	ANGUL	GNM	60	1. MOU FOR PARENT HOSPITAL NOT IN PROPER ORDER. 2. APPLICATION FOR CLARIFICATION REGARDING GEOTAGGED PHOTO PINCODE SUBMITTED & POST MASTERS LETTER ALSO SUBMITTED. 3. PRINCIPAL SWAGATIKA DAS IS PHYSICALLY PRESENT FOR BALIGUDA COLLEGE OF NURSING AND CURRENTLY WORKING AS A NURSING OFFICER AT ADITYA ASWINI AND HAVING NO TEACHING EXPERIENCE.
5	SMILE COLLEGE OF MEDICAL AT-BOINDA ,PO- BOINDA, VIA- KISHORENAGAR, DIST- ANGUL, PIN-759127	ANGUL	GNM	60	1. COMPLETE GEOTAGGED PHOTO OF TEACHING BLOCK A NOT SUBMITTED. 2. MOU SUBMITTED FOR 96 BEDED PARENT HOSPITAL.
6	SAI CHAITANYA COLLEGE OF NURSING AT-KOSALA ,PO- KOSALA, VIA-KOSALA, DIST-ANGUL, PIN- 759130	ANGUL	GNM	60	ABSENT ON THE DAY OF PERSONAL HEARING

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
7	SAI CHAITANYA COLLEGE OF NURSING AT-KOSALA ,PO-KOSALA, VIA-KOSALA, DIST-ANGUL, PIN-759130	ANGUL	B.Sc- Nursing	60	ABSENT ON THE DAY OF PERSONAL HEARING
8	IDREAM INSTITUTE OF MEDICAL AND HEALTH SCIENCE AT-SANTHAPADA ,PO-SANTHAPADA, VIA-TALCHER, DIST-ANGUL, PIN-759104	ANGUL	B.Sc- Nursing	60	1. BUILDING COMPLETION CERTIFICATE WITH AREA DETAILS.- NOT SUBMITTED 2. MOU / TRUST RESOLUTION FOR PARENT HOSPITAL OF 100 BEDED ALONG WITH VALID CLINICAL ESTABLISHMENT COPY & POLLUTION CERTIFICATE- NOT SUBMITTED. 3. RELIVING ORDER OF PREVIOUS PRINCIPAL NOT SUBMITTED.
9	MALYAGIRI SCHOOL OF NURSING AT-KANDSAR ,PO-KANDSAR, VIA-KANDSAR, DIST-ANGUL, PIN-759122	ANGUL	GNM	60	REQUEST FOR DATE EXTEND
10	SCHOOL OF LIFE SCIENCE AT-KANGULA ,PO-KANGULA, VIA-ANGUL, DIST-ANGUL, PIN-759132	ANGUL	GNM	60	NOT JOINED
11	AYAAN COLLEGE OF MEDICAL AT-BOLANGIR ,PO-BOLANGIR, VIA-BOLANGIR, DIST-BALANGIR, PIN-767001	BALAN GIR	GNM	60	1. ACADEMIC BLOCK-2 ONLY FIRST FLOOR SHOWN GROUND FLOOR NOT SHOWN AS IT WAS LOCKED (VIA VIDEO CALL).
12	BALAJI COLLEGE OF NURSING AT-NH26 SBP ROAD KHAMARMUNDA ,PO-CHATAMAKHNA, VIA-, DIST-BALANGIR, PIN-767065	BALAN GIR	M.Sc- Nursing	25(O&G Nursing-5,Child Health (Paediatric) Nursing-5,Community Health Nursing-5,Medical-Surgical Nursing-5,Mental Health (Psychiatric) Nursing-5)	1. VALID FIRE SAFETY CERTIFICATE FORM-V FROM DFO- NOT SUBMITTED.
13	BALANGIR SCHOOL OF NURSING AT- BALANGIR,PO-BALANGIR, VIA-BALANGIR , DIST-BALANGIR, PIN-767001	BALAN GIR	GNM	60	1. ACADEMIC BLOCK-B IS CHANGED WHICH WAS NOT INSPECTED.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
14	KANTABANJI NURSING & HEALTH SCIENCE COLLEGE AT- 1102/1791,PO-CHATUANKA, VIA-KANTABANJI , DIST-BALANGIR, PIN-767039	BALAN GIR	GNM	60	1. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED.
15	OMM INTERNATIONAL HEALTH SCIENCE AT- KUSUMKANI,PO-ULBA, VIA-PATNAGARH , DIST-BALANGIR, PIN-767041	BALAN GIR	ANM	60	1. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED.
16	OMM INTERNATIONAL HEALTH SCIENCE AT- KUSUMKANI,PO-ULBA, VIA-PATNAGARH , DIST-BALANGIR, PIN-767041	BALAN GIR	GNM	60	1. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED.
17	OMM INTERNATIONAL HEALTH SCIENCE AT- KUSUMKANI,PO-ULBA, VIA-PATNAGARH , DIST-BALANGIR, PIN-767041	BALAN GIR	B.Sc- Nursing	60	1. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED.
18	VAISNODEVI INSTITUTE OF MEDICAL SCIENCE AT- PATNAGARH,PO-PATNAGARH, VIA-PATNAGARH , DIST-BALANGIR, PIN-767025	BALAN GIR	GNM	60	1. ACADEMIC BUILDING IS FOUND SIMILAR TO ANOTHER INSTITUTION NOT CLARIFIED VIA VIDEO CALL.
19	RADHABALLABHA SHYAM SUNDAR COLLEGE OF NURSING AT- GHUNSAR, PO-GHUNSAR, VIA-KHPRAKHOL, DIST-BALANGIR, PIN-767028	BALAN GIR	GNM	60	1. JOINING LETTER OF (PRINCIPAL - DEBASIS PRADHAN) NOT SUBMITTED. 2. TOTAL BUILT UP AREA FOR TEACHING BLOCK IS 17100 SQFT WHICH IS INADEQUATE. 3. BUILDING PLAN AND COMPLETION CERTIFICATE NOT IN PROPER ORDER. 4. THREE NUMBERS OF TEACHING STAFF WITH APPOINTMENT ORDER ,JOINING AND ALL QUALIFICATION DETAILS NOT SUBMITTED.
20	RADHABALLABHA SHYAM SUNDAR COLLEGE OF NURSING AT- GHUNSAR,PS-LATHOR, VIA-KHPRAKHOL , DIST-BALANGIR, PIN-767028	BALAN GIR	B.Sc- Nursing	60	1. TEACHING EXPERIENCE CERTIFICATE OF PRINCIPAL (15 YEARS) WITH ALL RELEVANT DOCUMENTS AS PER INC NORM NOT SUBMITTED. 2. TOTAL BUILT UP AREA FOR TEACHING BLOCK IS 17100 SQFT WHICH IS INADEQUATE. 3. BUILDING PLAN AND COMPLETION CERTIFICATE NOT IN PROPER ORDER. 4. THREE NUMBERS OF TEACHING STAFF WITH APPOINTMENT ORDER ,JOINING AND ALL QUALIFICATION DETAILS NOT SUBMITTED.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
21	SAMBHAV SCHOOL NURSING AT- DHANGHARA,PO-TUSURA, VIA-TUSURA , DIST-BALANGIR, PIN-767030	BALAN GIR	GNM	60	1. BUILDING COMPLETION CERTIFICATE FOR TEACHING AND HOSTEL BLOCK NOT SUBMITTED AS THE BUILDING IS UNDER CONSTRUCTION. 2. FIRE SAFETY CERTIFICATE IN THE FORM OF AN AFFIDAVIT (NOTARIZED) NOT SUBMITTED. 3. SUBMITTED GEOTAGGED PHOTO IN COMPLIANCE(VIA MAIL) IS MISMATCHED WITH SNAPSHOT SUBMITTED BY THE INSPECTORS. 4. COMPLETE GEOTAGGED PHOTO OF TEACHING AND HOSTEL BLOCK FROM INSIDE & OUTSIDE- NOT SUBMITTED. 5. AS PER INSPECTORS REMARK - i) INADEQUATE INFRASTRUCTURE 3700 SQ.FT. AVAILABLE AGAINST THE REQUIREMENT OF 37500 SQ.FT. . ii) ACADEMIC & HOSTEL BLOCK BOTH ARE UNDER CONSTRUCTION. iii) ONLY ONE CLASSROOM PRESENT. iv) COMMUNITY LAB,CHILD HEALTH LAB,OBG LAB & LIBRARY FACILITY IS NOT AVAILABLE. ALL THE ABOVE DOCUMENTS NOT SUBMITTED AND NOT CLARIFIED VIA VIDEO CALL.
22	DEVINE ANGELS NURSING COLLEGE AT- KHAPRAKHOL,PO-KHAPRAKHOL, VIA- , DIST-BALANGIR, PIN-767028	BALAN GIR	GNM	60	1. AS PER INSPECTION REPORT BUILDING IS L SHAPED SO FIRE SAFETY CERTIFICATE FORM- V FROM DFO REQUIRED - GEOTAGGED PHOTO SUBMITTED BUT NOT CLARIFIED VIA VIDEO CALL .
23	REGIONAL INSTITUTE OF MEDICAL SCIENCE AT- LOISINGHA,PO-BURDA, VIA- LOISINGHA , DIST-BALANGIR, PIN-754520	BALAN GIR	GNM	60	1. ACADEMIC BLOCK 2 & 3 IS NOT INSPECTED AND NOT CLARIFIED VIA VIDEO CALL.
24	ROSALIA NURSING ACADEMY AT- SUDPARA,PO-BOLANGIR, VIA-BOLANGIR , DIST-BALANGIR, PIN-767001	BALAN GIR	ANM	60	1. FIRE SAFETY CERTIFICATE FORM V FORM DFO NOT SUBMITTED. 2. PRINCIPAL M/S. ALINA RANI SAGAR VALID REGISTRATION CERTIFICATE NOT SUBMITTED. 3. PREVIOUS PRINCIPAL MRS. ARUNA TOPPO RECEIVING ORDER NOT SUBMITTED. 4. BUILDING PLAN SUBMITTED BUT NOT LEGIBLE. 5. BUILDING COMPLETION CERTIFICATE OF ACADEMIC BLOCK FLOOR DETAILS (G+2) IS MISMATCHED WITH INSPECTION REPORT (G+3)- NOT CLARIFIED VIA VIDEO CALL. 6. INCOMPLETE GEOTAGGED PHOTO SUBMITTED. 7. ONE BUILDING GROUND FLOOR IS USED FOR OTHER PURPOSES- CLARIFICATION NOT SUBMITTED AND NOT CLARIFIED VIA VIDEO CALL. .

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
25	ROSALIA NURSING ACADEMY AT- SUDPARA,PO- BOLANGIR, VIA- BOLANGIR , DIST- BALANGIR, PIN-767001	BALAN GIR	GNM	60	1.FIRE SAFETY CERTIFICATE FORM V FORM DFO NOT SUBMITTED. 2.PRINCIPAL M/S. ALINA RANI SAGAR VALID REGISTRATION CERTIFICATE NOT SUBMITTED. 3. PREVIOUS PRINCIPAL MRS. ARUNA TOPPO RECEIVING ORDER NOT SUBMITTED. 4.BUILDING PLAN SUBMITTED BUT NOT LEGIBLE. 5.BUILDING COMPLETION CERTIFICATE OF ACADEMIC BLOCK FLOOR DETAILS (G+2) IS MISMATCHED WITH INSPECTION REPORT (G+3)- NOT CLARIFIED VIA VIDEO CALL. 6.INCOMPLETE GEOTTAGED PHOTO SUBMITTED. 7.ONE BUILDING GROUND FLOOR IS USED FOR OTHER PURPOSES- CLARIFICATION NOT SUBMITTED AND NOT CLARIFIED VIA VIDEO CALL. .
26	SIDDHI BINAYAK COLLEGE OF NURSING PATNAGARH AT- SAMALAISAR,PO- KUTMUNDA, VIA-P RAMPUR , DIST- BALANGIR, PIN-767041	BALAN GIR	GNM	60	1. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED.
27	SIDDHI BINAYAK COLLEGE OF NURSING PATNAGARH AT- SAMALAISAR,PO- KUTMUNDA, VIA-P RAMPUR , DIST- BALANGIR, PIN-767041	BALAN GIR	B.Sc- Nursing	60	1. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED.
28	SHREE SCHOOL OF NURSING,PATNAGARH AT- PATNAGARH,PO- PATNAGARH, VIA- PATNAGARH , DIST- BALANGIR, PIN-767025	BALAN GIR	GNM	60	1. COMPLETE GEOTTAGED PHOTO NOT SUBMITTED.
29	SRI RAM SCHOOL OF NURSING AT- SATIGHAT,PO- BHATIPARA, VIA- TITLAGARH , DIST- BALANGIR, PIN-767042	BALAN GIR	GNM	60	ABSENT DURING PERSONAL HEARING

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
30	SHREE SHYAM COLLEGE OF NURSING AT- PATNAGARH,PO- PATNAGARH, VIA- PATNAGARH, DIST- BALANGIR, PIN-767025	BALAN GIR	GNM	60	<p>1. LEAVE APPLICATION OF PRINCIPAL DEBASIS PRADHAN NOT SUBMITTED.</p> <p>2. HOSPITAL AFFILIATION AND CHC/PHC PERMISSION LETTER SUBMITTED WITH WRONG INSTITUTION NAME.</p> <p>3. BUILDING PLAN WITHOUT PROPER DEMARCATION SUBMITTED (NOT IN PROPER ORDER).</p> <p>4. BUILDING COMPLETION CERTIFICATE SUBMITTED WHICH MISMATCHED WITH GEOTAGGED PHOTO SUBMITTED.</p> <p>5. FIRE SAFETY CERTIFICATE FORM V NOT SUBMITTED.</p> <p>6. INITIAL REGISTRATION CERTIFICATE OF PRINCIPAL NOT SUBMITTED.</p> <p>7. INCOMPLETE GEOTAGGED PHOTO.</p> <p>8. ACADEMY BUILDING LABORATORY LIBRARY & HOSTEL BUILDING REGARDING NOT CLARIFIED VIA VEDIO CALL.</p> <p>9. AS PER INSPECTION REPORT - WE HAVE NOT SEEN ACADEMIC BUILDING, LABORATORY, LIBRARY, HOSTEL & CLASSROOMS- NOT CLARIFIED.</p>
31	APEKSHYA COLLEGE OF NURSING & PARA MIDICAL SCIENCE AT-KANTABANJI ,PO- KANTABANJI, VIA- KANTABANJI, DIST- BALANGIR, PIN-767039	BALAN GIR	GNM	60	<p>AS PER THE PHYSICAL INSPECTION REPORT-</p> <p>i) THE ACADEMIC BUILDING OF NURSING INSTITUTION SHOWING DURING VIRTUAL INSPECTION IS THE ACTUAL MAIN BUILDING OF 'DISHA ENGLISH MEDIUM SCHOOL', NO SUCH NURSING INSTITUTIONAL BUILDING FOR 'APEKSHYA COLLEGE OF NURSING & PARA MIDICAL SCIENCE' HAS BEEN OWNED BY THE OWNER.</p> <p>ii) AS PER EXPLANATION OF MANAGER OF 'DISHA ENGLISH MEDIUM SCHOOL' WERE UTILIZED FOR THE PURPOSE OF CLASSROOMS OF APEKSHYA NURSING INSTITUTION ONLY FOR THE INSPECTION TIME.</p> <p>iii) THE TEAM PRESUME THAT AT THE TIME OF VIRTUAL INSPECTION THE INSTITUTION UTILIZED DIFFERENT BUILDING FOR LABS AND OTHER INFRASTRUCTURE FOR THAT THEY HAVE ALSO USED DIFFERENT TYPE OF DEVICES.</p>

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
32	ANANYAA COLLEGE OF NURSING AND MEDICAL SCIENCE AT-GAINTALA ,PO-PUINTALA, VIA-PUINTALA, DIST-BALANGIR, PIN-767002	BALAN GIR	ANM	40	AS PER THE PHYSICAL INSPECTION REPORT- i) THE TEAM CONFIRMED THAT THE BUILDING WHICH IS RUNNING FOR THE STUDY OF 'BINAPANI SIKHYA SOUDH' , 'ABASIK VIDYALAYA' WERE USED DURING VIRTUAL INSPECTION AS 'ANANYAA COLLEGE OF NURSING AND MEDICAL SCIENCE' ,GAINTALA IN THE SAME CAMPUS OTHER SCHOOLS ARE RUNNING NAMED 'LITTLE ANGEL SCHOOL' AND 'RAINBOW HIGHER SECONDARY SCHOOL'(+2 ARTS AND SCIENCE). ii) THE TEAM RETURNED WITHOUT INSPECTING ANANYAA COLLEGE OF NURSING AND MEDICAL SCIENCE,GAINTALA.
33	ANANYAA COLLEGE OF NURSING AND MEDICAL SCIENCE AT-GAINTALA ,PO-PUINTALA, VIA-PUINTALA, DIST-BALANGIR, PIN-767002	BALAN GIR	GNM	60	AS PER THE PHYSICAL INSPECTION REPORT- i) THE TEAM CONFIRMED THAT THE BUILDING WHICH IS RUNNING FOR THE STUDY OF 'BINAPANI SIKHYA SOUDH' , 'ABASIK VIDYALAYA' WERE USED DURING VIRTUAL INSPECTION AS 'ANANYAA COLLEGE OF NURSING AND MEDICAL SCIENCE' ,GAINTALA IN THE SAME CAMPUS OTHER SCHOOLS ARE RUNNING NAMED 'LITTLE ANGEL SCHOOL' AND 'RAINBOW HIGHER SECONDARY SCHOOL'(+2 ARTS AND SCIENCE). ii) THE TEAM RETURNED WITHOUT INSPECTING ANANYAA COLLEGE OF NURSING AND MEDICAL SCIENCE,GAINTALA.
34	KARE INSTITUTE OF MEDICAL SCIENCES AT- SARATMUKHI DHAM, MADHIAPALI,PO-BALANGIR, VIA-BALANGIR SADAR , DIST-BALANGIR, PIN-767001	BALAN GIR	GNM	60	AS PER THE PHYSICAL INSPECTION REPORT- i) ACADEMIC BLOCK-A (G+1) HAVING BUILTUP AREA =8,840 SQFT ACADEMIC BLOCK-B (G+1) HAVING BUILTUP AREA = 3,752 SQFT ACADEMIC BLOCK-C (G+1) HAVING BUILTUP AREA =3,150 SQFT HOSTEL BLOCK-D (G+2) HAVING BUILTUP AREA =4,000 SQFT ii) ACADEMIC BLOCK-A & B WERE RENNOVATION FOR COLOURING. iii) CLASSROOM WITHOUT TABLE AND CHAIR. iv) LABS ARE EMPTY (HAVING NO INSTRUMENTS). v) INSUFFICIENT AREA FOR BOTH GNM AND B.Sc.-N COURSES. vi) LIBRARY WITHOUT BOOKS.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
35	KARE INSTITUTE OF MEDICAL SCIENCES AT- SARATMUKHI DHAM, MADHIAPALI,PO-BALANGIR, VIA-BALANGIR SADAR , DIST-BALANGIR, PIN-767001	BALAN GIR	B.Sc-Nursing	60	AS PER THE PHYSICAL INSPECTION REPORT- i) ACADEMIC BLOCK-A (G+1) HAVING BUILTUP AREA =8,840 SQFT ACADEMIC BLOCK-B (G+1) HAVING BUILTUP AREA = 3,752 SQFT ACADEMIC BLOCK-C (G+1) HAVING BUILTUP AREA =3,150 SQFT HOSTEL BLOCK-D (G+2) HAVING BUILTUP AREA =4,000 SQFT ii) ACADEMIC BLOCK-A & B WERE RENNOVATION FOR COLOURING. iii) CLASSROOM WITHOUT TABLE AND CHAIR. iv) LABS ARE EMPTY (HAVING NO INSTRUMENTS). v) INSUFFICIENT AREA FOR BOTH GNM AND B.Sc.-N COURSES. vi) LIBRARY WITHOUT BOOKS.
36	RAJHANS NURSING SCHOOL AT- CHATIAPALI,PO-SADEIPALI, VIA-BALANGIR , DIST-BALANGIR, PIN-767065	BALAN GIR	GNM	60	CANCELLED BY THE INSTITUTION
37	BHAGABATI COLLEGE & SCHOOL OF NURSING AT- SADAIPALI,PO-SADAIPALI, VIA-CHANDANVATI , DIST-BALANGIR, PIN-767065	BALAN GIR	GNM	60	CANCELLED BY THE INSTITUTION
38	BHAGABATI COLLEGE & SCHOOL OF NURSING AT- SADAIPALI,PO-SADAIPALI, VIA-CHANDANVATI , DIST-BALANGIR, PIN-767065	BALAN GIR	B.Sc-Nursing	60	CANCELLED BY THE INSTITUTION

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
39	JOGENDRA NURSING COLLEGE AT- ANKO,PO-ANKO, VIA-RUPSA , DIST- BALASORE, PIN-756028	BALAS ORE	GNM	60	<p>1. PRINCIPAL RELATED DOCUMENTS AND RENT AGREEMENT SUBMITTED,</p> <p>2. RENT AGREEMENT SEEMS TO BE EDITED.PLEASE PROVIDE A VALID RENT AGREEMENT WITH A DURATION OF 30 YEARS WITH ROR- NOT SUBMITTED.</p> <p>3. COMPLETE GEOTAGGED PHOTOGRAPHS OF TEACHING AND HOSTEL BLOCKS (WITH INSTITUTE BANNER)- NOT SUBMITTED.</p> <p>4. Ms. PRACHIPRABHA SAHOO IS ALREADY WORKING AS A PRINCIPAL AT ANOTHER INSTITUTION - NOT SUBMITTED.</p> <p>5. TEACHING EXPERIENCE CERTIFICATE OF PRINCIPAL (5 YEARS) WITH ALL RELEVANT DOCUMENTS AS PER INC NORM - NOT SUBMITTED.</p> <p>6. CHC/PHC PERMISSION LETTER FOR THE SESSION 2026-27- NOT SUBMITTED.</p> <p>7. MORE ONE NUMBER OF STAFF WITH APPOINTMENT ORDER AND JOINING LETTER IN PROPER ORDER AND ALL RELEVANT DOCUMENT AS PER INC NORM - NOT SUBMITTED.</p> <p>8. BUILDING COMPLETION CERTIFICATE & LEGIBLE BUILDING PLAN FOR ACADEMIC & HOSTEL BUILDING WITH PLOT NUMBER,KHATA NUMBER, AREA DETAILS & PROPER DEMARCATION(WITH ARCHITECT/ENGINEER SEAL & SIGNATURE)- NOT SUBMITTED.</p> <p>9. AS PER INSPECTION REPORT-</p> <p>i) HOSTEL BUILDING IS UNDER CONSTRUCTION.</p> <p>ii) INSTITUTE BUILDING IS G+2 SO FIRE SAFETY CERTIFICATE FORM-V FROM DFO REQUIRED.</p> <p>PLEASE CLARIFY THE ABOVE POINTS IN A PROPER AND DETAILED MANNER- NOT CLARIFIED.</p>

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
40	RAJESWARI COLLEGE OF NURSING AT- JALESWARPUR,PO- JALESWARPUR, VIA- BHOGARAI , DIST- BALASORE, PIN-756036	BALAS ORE	GNM	60	<p>1. CHC/PHC PERMISSION LETTER FOR THE SESSION 2026-27- NOT SUBMITTED.</p> <p>2. NAME OF CHAIRMAN IN ONLINE APPLICATION MISMATCH WITH TRUSTDEED- CLARIFICATION IS NOT SATISFACTORY.</p> <p>3. AS PER INSPECTION REPORT,ACADEMIC BUILDING IS A SINGLE BUILDING AND HAVING BUILT-UP AREA-22,780 SQ.FT. THEREFORE, A FIRE SAFETY CERTIFICATE (FORM -V) FROM THE DFO IS REQUIRED- NOT SUBMITTED .</p> <p>4. APPOINTMENT LETTER OF PRINCIPAL (RAJASHREE PARIDA) IN PROPER ORDER- NOT SUBMITTED.</p> <p>5. COMPLETE GEOTAGGED PHOTO OF TEACHING & HOSTEL BLOCK FROM OUTSIDE (WITH INSTITUTE BANNER)- NOT SUBMITTED.</p> <p>6. THE NAME OF THE SECOND PARTY MENTIONED IN RENT AGREEMENT IS MISMATCHED WITH SIGNATURE,KINDLY RECTIFY AND SUBMIT THE CORRECTED DOCUMENT (FOR TEACHING AND HOSTEL BLOCK) - NOT SUBMITTED.</p> <p>7. APPOINTMENT AND JOINING LETTERS OF ALL TEACHING STAFF SHOW CONTRADICTIONS IN THE APPOINTMENT AND JOINING DATES.PLEASE SUBMIT CORRECTED DOCUMENTS - NOT SUBMITTED.</p>
41	RV INSTITUTE OF MEDICAL SCIENCE AT- BALIAPAL,PO- BALIAPAL, VIA- BALIAPAL , DIST- BALASORE, PIN-756026	BALAS ORE	GNM	60	<p>1. TEACHING AND HOSTEL BUILDING COMPLETELY CHANGED WHICH WAS NOT INSPECTED.</p> <p>2. CHC/PHC PERMISSION LETTER FOR THE SESSION 2026-27 NOT SUBMITTED.</p> <p>3. COMPLETE GEOTAGGED PHOTO - NOT SUBMITTED.</p>
42	SHRI SIDDHI VINAYAK COLLEGE OF NURSING AT- PLOT NO 466/1511/1524 KHATA NO 662/190 KAMARPUR UNIT NO 06 ,PO-SORO, VIA-SORO , DIST- BALASORE, PIN-756045	BALAS ORE	GNM	60	<p>1. COMPLETE BUILDING CHANGED WHICH WAS NOT INSPECTED.</p> <p>2. FIVE TEACHING STAFF INCLUDING THEIR APPOINTMENT ORDER ,JOINING LETTERS AND ALL QUALIFICATION DETAILS ARE NOT SUBMITTED.</p>
43	VIJAYANJALI SCHOOL OF MEDICALSCIENCE AT- GADABHANGA NO- 4,PO-GADABHANGA NO-4, VIA- KHANTAPADA , DIST- BALASORE, PIN-756043	BALAS ORE	ANM	60	<p>1. FIRE CERTIFICATE FORM V FROM DFO AS PER BUILDING PLAN,BUILDING COMPLETION CERTIFICATE,SUBMITTED GEOTAGGED PHOTO & INSPECTION REPORT INSTITUTE BUILDING IS (G+3) - NOT SUBMITTED.</p>

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
44	VIJAYANJALI SCHOOL OF MEDICALSCIENCE AT- GADABHANGA NO-4,PO-GADABHANGA NO-4, VIA- KHANTAPADA , DIST- BALASORE, PIN-756043	BALAS ORE	GNM	60	1. FIRE CERTIFICATE FORM V FROM DFO AS PER BUILDING PLAN,BUILDING COMPLETION CERTIFICATE,SUBMITTED GEOTAGGED PHOTO & INSPECTION REPORT INSTITUTE BUILDING IS (G+3) - NOT SUBMITTED.
45	VIJAYANJALI SCHOOL OF MEDICALSCIENCE AT- GADABHANGA NO-4,PO-GADABHANGA NO-4, VIA- KHANTAPADA , DIST- BALASORE, PIN-756043	BALAS ORE	B.Sc- Nursing	60	1. FIRE CERTIFICATE FORM V FROM DFO AS PER BUILDING PLAN,BUILDING COMPLETION CERTIFICATE,SUBMITTED GEOTAGGED PHOTO & INSPECTION REPORT INSTITUTE BUILDING IS (G+3) - NOT SUBMITTED.
46	GANESH NURSING SCHOOL AT- SUNDURI,PO- SUNHAT, VIA-SUNHAT , DIST-BALASORE, PIN- 756002	BALAS ORE	ANM	60	1. GEOTTAGED PHOTO SUBMITTED BUT NOT CLARIFIED VIA VIDEO CALL DUE TO NETWORK ISSUE.
47	GANESH NURSING SCHOOL AT- SUNDURI,PO- SUNHAT, VIA-SUNHAT , DIST-BALASORE, PIN- 756002	BALAS ORE	GNM	60	1. GEOTTAGED PHOTO SUBMITTED BUT NOT CLARIFIED VIA VIDEO CALL DUE TO NETWORK ISSUE.
48	INSTITUTE OF NURSING & PARAMEDICAL SCIENCE AT- DHARASTOCK,PO- JALESWAR, VIA- JALESWAR , DIST- BALASORE, PIN-756032	BALAS ORE	GNM	60	1. SBI PAYMENT SLIP (GNM) NOT SUBMITTED. 2. PRINCIPAL NAME Ms DEVIBRATA NAYAK IN ADHAAR CARD MISMATCHED WITH OTHER SUPPORTIVE DOCUMENTS- NOT CLARIFIED.
49	BAMAN FOUNDATION MEDICAL SCIENCE & RESEARCH AT- IG MARG, BHOI SAHL,PO-BALASORE, VIA-BALASORE , DIST- BALASORE, PIN-756001	BALAS ORE	B.Sc- Nursing	60	1. FIRE SAFETY CERTIFICATE FORM V FROM DFO NOT SUBMITTED. 2. CHC/PHC PERMISSION LETTER NOT SUBMITTED. 3. ROR FOR KHATA NO. 199/4455,KHATA NO. 199/4469- NOT SUBMITTED. 4. TEACHING BLOCK RENT AGREEMENT AND ROR PLOT NUMBER AND KHATA NUMBER MISMATCHED WITH BUILDING PLAN PLOT NUMBER AND KHATA NUMBER- NOT CLARIFIED. 5. BUILDING COMPLETION CERTIFICATE FOR TEACHING & HOSTEL BLOCK- NOT SUBMITTED 6. GEOTTAGED PHOTO NOT SUBMITTED
50	BANCHHANIDHI INSTITUTE OF MEDICAL SCIENCE AT- BALASORE SADAR,PO-BALASORE SADAR, VIA-BALASORE SADAR , DIST- BALASORE, PIN-756019	BALAS ORE	GNM	60	1. B.SC-N REGISTRATION CERTIFICATE (FROM KARNATAKA STATE COUNCIL) AND M.SC-N VALID REGISTRATION CERTIFICATE- NOT SUBMITTED.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
51	BANCHHANIDHI INSTITUTE OF MEDICAL SCIENCE AT- BALASORE SADAR,PO-BALASORE SADAR, VIA-BALASORE SADAR , DIST- BALASORE, PIN-756019	BALAS ORE	B.Sc- Nursing	60	1. B.SC-N REGISTRATION CERTIFICATE (FROM KARNATAKA STATE COUNCIL) AND M.SC-N VALID REGISTRATION CERTIFICATE- NOT SUBMITTED.
52	CIMSAR COLLEGE SORO AT- PAKHAR,PO- PAKHAR, VIA-SORO , DIST-BALASORE, PIN- 756046	BALAS ORE	GNM	60	1. RENT AGREEMENT FOR 30 YEARS NOT SUBMITTED. 2. RECEIVING ORDER OF PREVIOUS PRINCIPAL BANITARANI PAIKRAY NOT SUBMITTED. 3. BUILDING COMPLETION CERTIFICATE WITHOUT PROPER DEMARCATION SUBMITTED. 4. LEGIBLE BUILDING PLAN NOT SUBMITTED. 5. SUBMITTED FIRE SAFETY AFFIDAVIT MISMATCHED WITH OTHER DOCUMENTS. 6. HOSPITAL AFFILIATION COPY & CHC/PHC PERMISSION LETTER SEEMS EDITED. 7. INCOMPLETE GEOTAGGED PHOTO SUBMITTED. 8. NO CLARIFICATION SUBMITTED REGARDING INADEQUATE INFRASTRUCTURE AND NOT WELL EQUIPPED LABS.
53	INSTITUTE OF NURSING & PARAMEDICAL SCIENCE AT- DHARASTOCK,PO- JALESWAR, VIA- JALESWAR , DIST- BALASORE, PIN-756032	BALAS ORE	B.Sc- Nursing	60	REQUEST FOR DATE EXTEND
54	FAKIR MOHAN COLLEGE OF NURSING & PHARMACY AT- D-2/14, INDUSTRIAL ESTATE,PO-BALASORE, VIA- , DIST-BALASORE, PIN-756001	BALAS ORE	GNM	60	REQUEST FOR DATE EXTEND
55	SRI MAA COLLEGE OF NURSING AT- JAMUJHADI,PO- JAMUJHADI, VIA- JAMUJHADI , DIST- BALASORE, PIN-756126	BALAS ORE	GNM	60	NOT JOINED
56	SRINIX COLLEGE OF NURSING,RANIPATNA,B ALASORE AT- RANIPATNA,PO- BALASORE, VIA- BALASORE , DIST- BALASORE, PIN-756001	BALAS ORE	GNM	60	CANCELLED BY INSTITUTION
57	SRINIX COLLEGE OF NURSING,RANIPATNA,B ALASORE AT- RANIPATNA,PO- BALASORE, VIA- BALASORE , DIST- BALASORE, PIN-756001	BALAS ORE	B.Sc- Nursing	60	CANCELLED BY INSTITUTION

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
58	NITYANANDA INSTITUTE OF MEDICAL SCIENCE AT- SERGARH,PO-SERGARH, VIA-BALASORE , DIST-BALASORE, PIN-756060	BALAS ORE	B.Sc- Nursing	60	DENIED
59	ISHAN KRISHNA COLLEGE OF NURSING JALESWAR AT- JALESWAR,PO-JALESWAR, VIA-JALESWAR , DIST-BALASORE, PIN-756032	BALAS ORE	GNM	60	CANCELLED BY THE INSTITUTION
60	SRUSTI MEDICAL & RESEARCH AT- BALIA,PO-BALIA, VIA-BALIA , DIST-BALASORE, PIN-756056	BALAS ORE	ANM	60	DENIED
61	BARGARH COLLEGE OF NURSING AT- BANJARI,PO-MADHUPUR, VIA-SOHELA , DIST-BARGARH, PIN-768033	BARGA RH	ANM	60	1. PRINCIPAL IS WORKING AS A STAFF NURSE IN IGKC MULTISPECIALITY HOSPITAL,BBSR WITH NO TEACHING EXPERIENCE . 2. ACADEMIC BUILDING-1 WITHOUT ANY SETUP. 3. ACADEMIC BUILDING 2 & 3 - FORM OUTSIDE ONLY.(LOCK & KEY).
62	BARGARH COLLEGE OF NURSING AT- BANJARI,PO-MADHUPUR, VIA-SOHELA , DIST-BARGARH, PIN-768033	BARGA RH	GNM	60	2. PRINCIPAL IS WORKING AS A STAFF NURSE IN IGKC MULTISPECIALITY HOSPITAL,BBSR WITH NO TEACHING EXPERIENCE . 2. ACADEMIC BUILDING-1 WITHOUT ANY SETUP. 3. ACADEMIC BUILDING 2 & 3 - FORM OUTSIDE ONLY.(LOCK & KEY).
63	GYAN VIKASH COLLEGE OF NURSING AT- BARIKEL,PO-BARIKEL, VIA-RAJBORASAMBAR , DIST-BARGARH, PIN-768036	BARGA RH	GNM	60	1. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED.
64	SRI RAM COLLEGE OF NURSING AT- SOHELA,PO-SOHELA, VIA-, DIST-BARGARH, PIN-768033	BARGA RH	B.Sc- Nursing	60	1. THREE ACADEMIC BLOCK SHOWN VIA VIDEO CALL FROM OUTSIDE ONLY INSIDE (LOCKED).
65	ZENITH SCHOOL OF NURSING AT- JHANKARPALI,PO-KHALIAPALI, VIA-PADAMPUR, DIST-BARGARH, PIN-768036	BARGA RH	ANM	60	1. PRINCIPAL N.MANISHA IS HAVING NO TEACHING EXPERIENCE 2. PRINCIPAL PHYSICALLY PRESENT IN TWO INSTITUTIONS AT THE TIME OF HEARING IN ONMRC.
66	ZENITH SCHOOL OF NURSING AT- JHANKARPALI,PO-KHALIAPALI, VIA-PADAMPUR, DIST-BARGARH, PIN-768036	BARGA RH	GNM	60	1. PRINCIPAL N.MANISHA IS HAVING NO TEACHING EXPERIENCE 2. PRINCIPAL PHYSICALLY PRESENT IN TWO INSTITUTIONS AT THE TIME OF HEARING IN ONMRC.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COURSE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
67	BARGARH NURSING COLLEGE AT- BARGARH,PO- BARGARH, VIA- , DIST- BARGARH, PIN-768028	BARGA RH	GNM	60	1. GEOTTAGED PHOTO SUBMITTED BUT 2ND BLOCK IS NOT CLARIFIED VIA VIDEO CALL.
68	SRI RAM SCHOOL OF NURSING AT- DUDUKIDADAR,PO- BIJADHOL, VIA- JHARBANDH, DIST- BARGARH, PIN-768004	BARGA RH	GNM	60	ABSENT ON THE DAY OF PERSONAL HEARING
69	SRI JAGANNATH SCHOOL OF NURSING AT- ANGUL,PO-DAVA, VIA-JHARBANDH, DIST- BARGARH, PIN-768042	BARGA RH	GNM	60	NOT JOINED
70	SRI NRUSINGHANATH SCHOOL OF NURSINGH AT- MITHAPALI,PO- MITHAPALI, VIA- PAIKMAL, DIST- BARGARH, PIN-768039	BARGA RH	GNM	60	NOT JOINED
71	AAHWAAN INSTITUTE OF HEALTH SCIENCE AT- BAGHAMARA,PO- BARIKPUR, VIA- BARIKPUR, DIST- BHADRAK, PIN-756112	BHADR AK	B.Sc- Nursing	60	1. INCOMPLETE GEOTAGGED PHOTOS OF 3 ACADEMIC BUILDING (NOT CLARIFIED VIA VIDEOCALL) . 2. ACADEMIC BLOCK -B GEOTAGGED PHOTO MISMATCHED WITH PHOTO SUBMITTED ON CHAT ROOM AND DURING 7 DAYS COMPLIANCE.
72	ANWESHA NURSING & MEDICAL SCIENCE COLLEGE AT- BHANDARIPOKHARI,PO -BHANDARIPOKHARI, VIA- BHANDARIPOKHARI, DIST-BHADRAK, PIN- 756120	BHADR AK	GNM	60	1. ACADEMIC BUILDING BLOCK-1 (G+1) FIRST FLOOR UNDER CONSTRUCTION. 2. ACADEMIC BUILDING BLOCK-2 (G+1) NOT CLARIFIED VIA VIDEO CALL. 3. ACADEMIC BUILDING BLOCK-3 (G+1) GROUND FLOOR LOCKED.
73	BASUDEVPUR INSTITUTE OF MEDICAL SCIENCE AT- BASUDEVPUR,PO- BASUDEVPUR, VIA- BASUDEVPUR, DIST- BHADRAK, PIN-756125	BHADR AK	GNM	60	1. PRINCIPAL FALSE TEACHING EXPERIENCE CERTIFICATE SUBMITTED. 2. INFRASTRUCTURE NOT CLARIFIED VIA VIDEO CALL.
74	GLOBAL INSTITUTE OF MEDICAL SCIENCE AT- DHAMGAGAR,PO- DHAMGAGAR, VIA- DHAMGAGAR, DIST- BHADRAK, PIN-756117	BHADR AK	GNM	60	1. COMPLETE BUILDING CHANGED WHICH WAS NOT INSPECTED.
75	SRIRAM SCHOOL & COLLEGE OF NURSING AT- SAMARIPUR,PO- BHADRK, VIA-, DIST- BHADRAK, PIN-756181	BHADR AK	GNM	60	1. INCOMPLETE GEOTAGGED PHOTO SUBMITTED & NOT CLARIFIED VIA VIDEO CALL.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COURSE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
76	SURYA INSTITUTE OF MEDICAL SCIENCE AND RESEARCH CENTRE AT- APANDA,PO- APANDA, VIA-BONTH, DIST-BHADRAK, PIN-756114	BHADRAK	GNM	60	1. BUILDING COMPLETION CERTIFICATE & LEGIBLE BUILDING PLAN FOR HOSTEL BLOCK – NOT SUBMITTED. 2. FIRE SAFETY CERTIFICATE FORM -V FROM DFO NOT SUBMITTED. 3. ACTUALLY TEACHING BUILDING IS G+2 BUT PLAN AND COMPLETION CERTIFICATE SUBMITTED FOR G+1 BUILDING.
77	HEMALATA INSTITUTE OF MEDICAL SCIENCE AT- KUBERAGADIA,PO- PIRIPUR, VIA- BARIKPUR, DIST- BHADRAK, PIN-756112	BHADRAK	GNM	60	1. ACADEMIC BLOCK C NOT CLARIFIED VIA VIDEO CALL DUE TO DARKNESS. 2. TEACHING EXPERIENCE CERTIFICATE OF 5 YEARS FOR NEW PRINCIPAL MILLON KUMAR SAHOO NOT SUBMITTED. 3. RELIEVING ORDER OF PRINCIPAL N MANISHA NOT SUBMITTED.
78	APEX SCHOOL OF NURSING AT- HARIHANSHA,PO- DHUSURI, VIA- DHUSURI, DIST- BHADRAK, PIN-756100	BHADRAK	GNM	60	AS PER THE PHYSICAL INSPECTION REPORT- i) THE BUILDING WHICH ARE RUNNING FOR THE APEX ENGLISH MEDIUM SCHOOL STUDENT WERE USED DURING VIRTUAL INSPECTION AS APEX SCHOOL OF NURSING. ii) THE TEAM RETURNED TO THE HEADQUATER WITHOUT INSPECTING 'APEX SCHOOL OF NURSING'.
79	CIMSAR BHADRAK AT- RANITAL,PO- RANITAL, VIA- BHADRAK, DIST- BHADRAK, PIN-756111	BHADRAK	GNM	60	AS PER THE PHYSICAL INSPECTION REPORT- i) <u>BLOCK -A (G+1)</u> - SEEMS MORE THAN 20,000 SQFT. - GROUND FLOOR WAS OCCUPIED BY OTHER ORGANISATION. - FIRST FLOOR(LEFT SIDE) USED FOR ACADEMIC PURPOSE AND (RIGHT SIDE) IS USED FOR GIRLS HOSTEL. ii) <u>BLOCK -B(G)</u> - USED FOR ACADEMIC PURPOSE. iii) ANOTHER GROUND FLOOR HAVING THREE SHUTTER BASED FOR COMMERCIAL GO-DOWN FOR OTHER ORGANIZATION. iv) THREE LABS ARE FOUND WITHOUT ANY EQUIPMENTS/INSTRUMENTS. v) MIXING EQUIPMENTS/INSTRUMENTS OF NURSING COURSES AS WELL AS OTHER PARAMEDICAL COURSES ARE FOUND. vi) LIBRARY ROOM WAS CLOSED. vii) THE FIRE FIGHT INSTRUMENT HAVE GOT INVALID SINCE JULY 2024. viii) INFORMATION ABOUT TEACHING AND HOSTEL BLOCK ARE NOT ACCURATELY PROVIDED BY THE INSTITUTION.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
80	PUFNACHANDRA-RANGALATA COLLEGE OF NURSING AT- PURUNAHAT, BHATAPADA,PO-TIHIDI, VIA-TIHIDI, DIST-BHADRAK, PIN-756130	BHADRAK	ANM	60	AS PER THE PHYSICAL INSPECTION REPORT- i) ACADEMIC BLOCK A (G+1) HAVING BUILTUP AREA= 4,680 SQFT ACADEMIC BLOCK B (G+1) HAVING BUILTUP AREA= 4,992 SQFT (WAS CLOSED AND LOCKED) ACADEMIC BLOCK C (G+3) HAVING BUILTUP AREA= 18,240 SQFT, TOTAL AREA= 27,912 SQFT ii) ACADEMIC BLOCK C (G+3)BUILDING WHICH NEEDS A FIRE SAFETY CERTIFICATE FORM-V FROM DFO. iii) HOSTEL BLOCK D(G) IS UNDER CONSTRUCTION HAVING BUILTUP AREA= 5,950 SQFT. iv) COMMUNITY AND NUTRITION LAB WITHOUT ANY LAB EQUIPMENT. v) ALL LAB EQUIPMENTS ARE PACKED AND KEPT IN STORE ROOM. vi) LABS ARE PARTITIONING BY PLY BOARD AND NOT BEEN DEFINE WITH LEBELLING/ NOMEN CLATURE. vii) ALL DICE/ DEVICE AND MACHINERY OF I.T.I. WORKSHOP STILL EXISIST AND WERE BEING UTILIZED FOR I.T.I. COURSE. viii) NO BOOKS ARE KEPT IN THE LIBRARY.
81	PUFNACHANDRA-RANGALATA COLLEGE OF NURSING AT- PURUNAHAT, BHATAPADA,PO-TIHIDI, VIA-TIHIDI, DIST-BHADRAK, PIN-756130	BHADRAK	GNM	60	AS PER THE PHYSICAL INSPECTION REPORT- i) ACADEMIC BLOCK A (G+1) HAVING BUILTUP AREA= 4,680 SQFT ACADEMIC BLOCK B (G+1) HAVING BUILTUP AREA= 4,992 SQFT (WAS CLOSED AND LOCKED) ACADEMIC BLOCK C (G+3) HAVING BUILTUP AREA= 18,240 SQFT, TOTAL AREA= 27,912 SQFT ii) ACADEMIC BLOCK C (G+3)BUILDING WHICH NEEDS A FIRE SAFETY CERTIFICATE FORM-V FROM DFO. iii) HOSTEL BLOCK D(G) IS UNDER CONSTRUCTION HAVING BUILTUP AREA= 5,950 SQFT. iv) COMMUNITY AND NUTRITION LAB WITHOUT ANY LAB EQUIPMENT. v) ALL LAB EQUIPMENTS ARE PACKED AND KEPT IN STORE ROOM. vi) LABS ARE PARTITIONING BY PLY BOARD AND NOT BEEN DEFINE WITH LEBELLING/ NOMEN CLATURE. vii) ALL DICE/ DEVICE AND MACHINERY OF I.T.I. WORKSHOP STILL EXISIST AND WERE BEING UTILIZED FOR I.T.I. COURSE. viii) NO BOOKS ARE KEPT IN THE LIBRARY.
84	CIMSAR COLLEGE BASUDEVPUR AT- BASUDEVPUR,PO-BASUDEVPUR, VIA-BASUDEVPUR, DIST-BHADRAK, PIN-756125	BHADRAK	GNM	60	NOT JOINED

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
83	SONAXI SCHOOL OF NURSING AT- JAGANNATHPUR,PO- JAGANNATHPUR, VIA- BHADRAK, DIST- BHADRAK, PIN-756121	BHADRAK	ANM	60	CANCELLED BY THE INSTITUTION
84	KANTAMAL SCHOOL OF NURSING,KANTAMAL AT- KANTAMAL,PO- KANTAMAL, VIA- KANTAMAL, DIST- BOUDH, PIN-762017	BOUDH	ANM	40	1. ACADEMIC BUILDING IS COMPLETELY CHANGED WHICH WAS NOT INSPECTED. 2. GEOTAGGED PHOTO NOT SUBMITTED.
85	KANTAMAL SCHOOL OF NURSING,KANTAMAL AT- KANTAMAL, PO- KANTAMAL, VIA- KANTAMAL, DIST- BOUDH, PIN-762017	BOUDH	GNM	60	1. ACADEMIC BUILDING IS COMPLETELY CHANGED WHICH WAS NOT INSPECTED. 2. GEOTAGGED PHOTO NOT SUBMITTED.
86	MARUTI COLLEGE OF NURSING AND PARAMEDICAL STUDIES AT- KHAJAPADAR,PO- AINLAPALI, VIA- BAUNSUNI, DIST- BOUDH, PIN-762015	BOUDH	ANM	60	1. BUILDING COMPLETELY CHANGED WHICH WAS NOT INSPECTED
87	MARUTI COLLEGE OF NURSING AND PARAMEDICAL STUDIES AT- KHAJAPADAR,PO- AINLAPALI, VIA- BAUNSUNI, DIST- BOUDH, PIN-762015	BOUDH	GNM	60	1. BUILDING COMPLETELY CHANGED WHICH WAS NOT INSPECTED
88	PARAS INSTITUTE OF MEDICAL SCIENCE & RESEARCH ,A SCHOOL OF NURSING AT- AINLAPALI,PO- AINLAPALI, VIA- BAUNSUNI, DIST- BOUDH, PIN-762015	BOUDH	GNM	60	THE TEAM RETURN BACK TO THE HEADQUATER WITHOUT INSPECTING THE INNERSIDE (CLASSROOM,LABROTORIES,INFRASTRUCTURE AND EQUIPMENTS) OF THE INSTITUTIONAL BUILDING OF 'PARAS INSTITUTE OF MEDICAL SCIENCE & RESEARCH',At- AINLAPALI,Po-AINLAPALI, Via-BAUNSUNI, Dist-BOUDH, Pin-762015
89	SARASWATI COLLEGE OF NURSING AT- BOUDH,PO-BOUDH, VIA-BOUDH, DIST- BOUDH, PIN-772011	BOUDH	ANM	60	NOT JOINED
90	SARASWATI COLLEGE OF NURSING AT- BOUDH,PO-BOUDH, VIA-BOUDH, DIST- BOUDH, PIN-772011	BOUDH	GNM	60	NOT JOINED
91	DASARATHI INSTITUTE OF MEDICAL SCIENCE AT- RAJANPALI CHAAK,PO-BAUDHA, VIA-BAUDHA, DIST- BOUDH, PIN-762014	BOUDH	ANM	60	DENIED

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
92	DASARATHI INSTITUTE OF MEDICAL SCIENCE AT- RAJANPALI CHAAK,PO-BAUDHA, VIA-BAUDHA, DIST-BOUDH, PIN-762014	BOUD H	GNM	60	DENIED
93	DASARATHI INSTITUTE OF MEDICAL SCIENCE AT- RAJANPALI CHAAK,PO-BAUDHA, VIA-BAUDHA, DIST-BOUDH, PIN-762014	BOUD H	B.Sc- Nursing	60	DENIED
94	ANANYA ACADEMY OF MEDICAL STUDIES AT- JIET CAMPUS, JAGATPUR INDUSTRIAL ESTATE,PO-JAGATPUR, VIA-CUTTACK, DIST-CUTTACK, PIN-754021	CUTTA CK	GNM	60	1. GEOTTAGED PHOTO SUBMITTED BUT NOT CLARIFIED VIA VEDIO CALL. 2. FIRE SAFETY CERTIFICATE FORM V FROM DFO NOT SUBMITTED.
95	BIDULATA COLLEGE OF NURSING AT-MAHESHPUR,PO-KHALRDA, VIA-CUTTACK SADAR, DIST-CUTTACK, PIN-753011	CUTTA CK	GNM	60	1. FIRE SAFETY CERTIFICATE FORM V FROM DFO NOT SUBMITTED. 2. GEOTAGGED PHOTO NOT SUBMITTED. 3. INSPECTIONED BUILDING , BUILDING PHOTO UPOADED IN CHATROOM AND DURING 7 DAYS COMPLIANCE PHOTO MISMATCHED.
96	BIDULATA COLLEGE OF NURSING AT-MAHESHPUR,PO-KHALRDA, VIA-CUTTACK SADAR, DIST-CUTTACK, PIN-753011	CUTTA CK	B.Sc- Nursing	60	1. FIRE SAFETY CERTIFICATE FORM V FROM DFO NOT SUBMITTED. 2. GEOTAGGED PHOTO NOT SUBMITTED. 3. INSPECTIONED BUILDING , BUILDING PHOTO UPOADED IN CHATROOM AND DURING 7 DAYS COMPLIANCE PHOTO MISMATCHED.
97	CHARCHIKA COLLEGE OF NURSING AT-BANKI(NAC) ,PO-BANKI, VIA-BANKI, DIST-CUTTACK, PIN-754008	CUTTA CK	GNM	60	1. AS PER INSPECTION REPORT ONLY ONE ACADEMIC BLOCK SHOWN DURING ONLINE INSPECTION, AT THE TIME OF PERSONAL HEARING VIDEOCALL DONE FOR TWO ACADEMIC BUILDINGS BUT ONLY OUTSIDE OF BUILDING WAS SHOWN. 2. INCOMPLETE GEOTAGGED PHOTO SUBMITTED.
98	NISTHA INSTITUTE OF MEDICAL SCIENCE AT-BIDYADHARPUR ,PO-GODISAHI, VIA-BARANGA, DIST-CUTTACK, PIN-754006	CUTTA CK	ANM	60	1. BUILDING COMPLETELY CHANGED WHICH WAS NOT INSPECTED.
99	NISTHA INSTITUTE OF MEDICAL SCIENCE AT-BIDYADHARPUR ,PO-GODISAHI, VIA-BARANGA, DIST-CUTTACK, PIN-754006	CUTTA CK	GNM	60	1. BUILDING COMPLETELY CHANGED WHICH WAS NOT INSPECTED.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
100	SABITRI DEVI SCHOOL OF NURSING AT-PURUSOTTAMPUR ,PO-SISUA, VIA-SALIPUR, DIST-CUTTACK, PIN-754202	CUTTA CK	B.Sc- Nursing	60	1. TEACHING EXPERIENCE CERTIFICATE OF PRINCIPAL 15 YEARS NOT SUBMITTED.
101	SADGURU COLLEGE OF NURSING AT-IMMAMNAGAR ,PO-JAGATPUR, VIA-JAGATPUR, DIST-CUTTACK, PIN-754021	CUTTA CK	ANM	60	1. ACADEMIC BUILDING IS 'C' SHAPED (CONFORMED VIA VIDEO CALL) FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED.
102	SHRADHA NURSING COLLEGE AND ALLIED MEDICAL SCIENCE AT-BAHABALAPUR ,PO-SISUA, VIA-SALEPUR, DIST-CUTTACK, PIN-754202	CUTTA CK	GNM	60	1. ACADEMIC BLOCK RENT AGREEMENT FOR 30 YEARS NOT SUBMITTED. 2. MOU FOR 100 BEDED PARENT HOSPITAL NOT SUBMITTED. 3. BUILDING NOT CLARIFIED VIA VIDEO CALL(REGARDING FIRE SAFETY CERTIFICATE FORM-V). 4. HOSTEL BLOCK & CLASSROOMS NOT SHOWN VIA VIDEO CALL.
103	SHRADHA NURSING COLLEGE AND ALLIED MEDICAL SCIENCE AT-BAHABALAPUR ,PO-SISUA, VIA-SALEPUR, DIST-CUTTACK, PIN-754202	CUTTA CK	B.Sc- Nursing	60	1. ACADEMIC BLOCK RENT AGREEMENT FOR 30 YEARS NOT SUBMITTED. 2. MOU SUBMITTED FOR 100 BEDED PARENT HOSPITAL NOT SUBMITTED.. 3. BUILDING NOT CLARIFIED VIA VIDEO CALL(REGARDING FIRE SAFETY CERTIFICATE FORM-V). 4. HOSTEL BLOCK & CLASSROOMS NOT SHOWN VIA VIDEO CALL.
104	SWAMI VIVEKANANDA NURSING COLLEGE AT-PLOT NO-31 ,PO-BADAMBADI, VIA-JAGANNATH LANE , DIST-CUTTACK, PIN-753012	CUTTA CK	GNM	60	1. ACADEMIC BUILDING PHOTO EDITED AND IT IS USED FOR OTHER PURPOSE. 2. FORM -V FROM DFO NOT SUBMITTED (AS PER INSPECTION REPORT). 3. EITED GEOTAGGED PHOTO SUBMITTED.
105	SWARNALATA SCHOOL OF NURSING STUDIES AT-BAHADULAPATNA,PO-BAHUGRAM, VIA-BAHUGRAM , DIST-CUTTACK, PIN-754200	CUTTA CK	GNM	60	1. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
106	VISION INSTITUTE OF MEDICAL SCIENCE AND RESEARCH AT-PLOT NO- 242, BISWALPADA ,PO- BISWALPADA, VIA- CUTTACK SADAR , DIST-CUTTACK, PIN- 752114	CUTTA CK	GNM	60	1. MOU FOR PARENT HOSPITAL- NOT SUBMITTED. 2. LEGIBLE BUILDING PLAN NOT SUBMITTED. 3. HOSPITAL AFFILIATION COPY AND CHC/PHC FOR THE SESSION 2026-27 - NOT SUBMITTED. 4. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED 5. PRINCIPAL LEAVE APPLICATION - NOT SUBMITTED. 6. COMMUNITY HEALTH NURSING AND NUTRITION LABORATORY NEED TO BE WELL ORGANISED & MORE COMPUTERS REQUIRED IN THE COMPUTER LAB- NOT CLARIFIED VIA VIDEO CALL.
107	VISION INSTITUTE OF MEDICAL SCIENCE AND RESEARCH AT-PLOT NO- 242, BISWALPADA ,PO- BISWALPADA, VIA- CUTTACK SADAR , DIST-CUTTACK, PIN- 752114	CUTTA CK	B.Sc- Nursing	60	1. MOU FOR PARENT HOSPITAL- NOT SUBMITTED. 2. LEGIBLE BUILDING PLAN - NOT SUBMITTED. 3. HOSPITAL AFFILIATION COPY AND CHC/PHC FOR THE SESSION 2026-27 - NOT SUBMITTED. 4. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED. 5. PRINCIPAL LEAVE APPLICATION - NOT SUBMITTED. 6. COMMUNITY HEALTH NURSING AND NUTRITION LABORATORY NEED TO BE WELL ORGANISED & MORE COMPUTERS REQUIRED IN THE COMPUTER LAB- NOT CLARIFIED VIA VIDEO CALL.
108	MOTHER CARE COLLEGE OF NURSING AT-NIZIGARH TIGIRIA ,PO-TIGIRIA, VIA- TIGIRIA, DIST- CUTTACK, PIN-754030	CUTTA CK	GNM	60	1. PRINCIPAL Ms. MADHULIPIKA GIRI LEAVE APPLICATION NOT SUBMITTED. 2. ACADEMIC BUILDING COMPLETELY CHANGED WHICH WAS NOT INSPECTED. 3. FIRE SAFETY CERTIFICATE FORM V FROM DFO NOT SUBMITTED. 4. MOU FOR PARENT HOSPITAL NOT SUBMITTED. 5. TEACHING EXPERIENCE CERTIFICATE OF PRINCIPAL NOT SUBMITTED. 6. DETAILS OF ELEVEN TEACHING STAFF NOT SUBMITTED.
109	MOTHER CARE COLLEGE OF NURSING AT-NIZIGARH TIGIRIA ,PO-TIGIRIA, VIA- TIGIRIA, DIST- CUTTACK, PIN-754030	CUTTA CK	B.Sc- Nursing	60	1. PRINCIPAL Ms. MADHULIPIKA GIRI LEAVE APPLICATION NOT SUBMITTED. 2. ACADEMIC BUILDING COMPLETELY CHANGED WHICH IS NOT INSPECTED. 3. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED. 4. MOU FOR PARENT HOSPITAL NOT SUBMITTED. 5. TEACHING EXPERIENCE CERTIFICATE OF PRINCIPAL NOT SUBMITTED. 6. DETAILS OF ELEVEN TEACHING STAFF NOT SUBMITTED.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
110	IDEAL INSTITUTE OF MEDICAL HEALTH AND SCIENCE AT-CHARIGHARI ,PO- MUKUNDAPUR, VIA- BANKI, DIST-CUTTACK, PIN-753001	CUTTA CK	GNM	60	1. AS PER INSPECTION REPORT- i) AT THE TIME OF ONLINE INSPECTION PRINCIPAL MADAM IS ABSENT. SO WE ARE UNABLE TO CONTACT THE MADAM TO KNOW WHERE SHE IS WORKING IN OTHER PLACE.- CLARIFICATION IS NOT SUBMITTED. ii) DURING HOSTEL INSPECTION WE FOUND THAT ONLY ONE ROOM IS OPNED AND OTHER ROOMS ARE LOCKED- CLARIFICATION IS NOT SUBMITTED.
111	IDEAL INSTITUTE OF MEDICAL HEALTH AND SCIENCE AT-CHARIGHARI ,PO- MUKUNDAPUR, VIA- BANKI, DIST-CUTTACK, PIN-753001	CUTTA CK	B.Sc- Nursing	60	1. VICE PRINCIPAL IS NOT ELIGIBLE FOR B.Sc.-N COURSE. 2. AS PER INSPECTION REPORT- i) AT THE TIME OF ONLINE INSPECTION PRINCIPAL MADAM IS ABSENT. SO WE ARE UNABLE TO CONTACT THE MADAM TO KNOW WHERE SHE IS WORKING IN OTHER PLACE.- CLARIFICATION IS NOT SUBMITTED. ii) DURING HOSTEL INSPECTION WE FOUND THAT ONLY ONE ROOM IS OPNED AND OTHER ROOMS ARE LOCKED- CLARIFICATION IS NOT SUBMITTED.
112	SHAKTI NURSING COLLEGE AT-KUSPANGI ,PO- KUSPANGI, VIA- ATHAGARH, DIST- CUTTACK, PIN-754029	CUTTA CK	B.Sc- Nursing	60	1. FIRE SAFETY FORM-V FORM DFO NOT SUBMITTED.
113	ODISHA COLLEGE OF NURSING AT-NANDOL (GANGAPUR) ,PO- MAHASINGHPUR, VIA- BAHUGRAM, DIST- CUTTACK, PIN-754200	CUTTA CK	GNM	60	ABSENT ON THE DAY OF PERSONAL HEARING
114	ODISHA COLLEGE OF NURSING AT-NANDOL (GANGAPUR) ,PO- MAHASINGHPUR, VIA- BAHUGRAM, DIST- CUTTACK, PIN-754200	CUTTA CK	PB BSc (Post Basic BSc) Nursing	60	ABSENT ON THE DAY OF PERSONAL HEARING
115	SAIRUDRA COLLEGE OF NURSING AT-EMAMNAGAR ,PO- EMAMNAGAR, VIA- JAGATPUR, DIST- CUTTACK, PIN-754240	CUTTA CK	ANM	60	ABSENT ON THE DAY OF PERSONAL HEARING
116	SAIRUDRA COLLEGE OF NURSING AT-EMAMNAGAR ,PO- EMAMNAGAR, VIA- JAGATPUR, DIST- CUTTACK, PIN-754240	CUTTA CK	B.Sc- Nursing	60	ABSENT ON THE DAY OF PERSONAL HEARING
117	SAI SAMRUDHI SCHOOL OF NURSING AT-NISCHINTAKOILI ,PO-NISCHINTAKOILI, VIA-NISCHINTAKOILI, DIST-CUTTACK, PIN- 754207	CUTTA CK	GNM	60	THE TEAM RETURN BACK TO THE HEADQUATER AT ABOUT 5.30 PM WITHOUT LOCATING THE INSTITUTIONAL BUILDING OF 'SAI SAMRUDHI SCHOOL OF NURSING' At-NISCHINTAKOILI ,Po-NISCHINTAKOILI, Via-NISCHINTAKOILI, Dist-CUTTACK, Pin- 754207

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COURSE NAME	PROPOSED INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
118	GOBINDA SCHOOL OF NURSING AT- ,PO-, VIA-SALEPUR, DIST-CUTTACK, PIN-	CUTTACK	GNM	60	NOT JOINED
119	NIGHTINGALE SCHOOL AND COLLEGE OF NURSIN AT-PHULNAKHARA ,PO-PHULNAKHARA, VIA-PHULNAKHARA, DIST-CUTTACK, PIN-754001	CUTTACK	PB BSc (Post Basic BSc) Nursing	60	NOT JOINED
120	MAHANADI SCHOOL OF NURSING AT-TRISULIA ,PO-TRISULIA, VIA-, DIST-CUTTACK, PIN-754005	CUTTACK	GNM	60	REQUEST FOR EXTENSION VIA MAIL
121	TETRAHEDRON COLLEGE OF NURSING AT-TANGI ,PO-KOTASAH, VIA-KOTASAH, DIST-CUTTACK, PIN-754022	CUTTACK	B.Sc-Nursing	60	NOT JOINED
122	COLLEGE OF NURSING CUTTACK AT-CHARIGHARIA ,PO-DAULATABAD, VIA-CHOUWAR, DIST-CUTTACK, PIN-754026	CUTTACK	M.Sc-Nursing	25(Child Health (Paediatric) Nursing-5,Medical-Surgical Nursing-5,Mental Health (Psychiatric) Nursing-5,O&G Nursing-5,Community Health Nursing-5)	DENIED
123	INDEPENDENT SCHOOL OF NURSING,AT-BARAHIPUR ,PO-ADASPUR, VIA-BAIROI, DIST-CUTTACK, PIN-754011	CUTTACK	GNM	60	WRONG CONTACT NUMBER (UNABLE TO CONTACT)
124	DEOGARH COLLEGE OF NURSING AT-DEOGARH ,PO-DEOGARH, VIA-DEOGARH , DIST-DEOGARH, PIN-768108	DEOGARH	GNM	60	1. ACADEMIC BLOCK C IS NOT CLARIFIED VIA VIDEOCALL.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COURSE NAME	PROPOSED INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
125	DEOGARH NURSING COLLEGE AT-DEOGARH ,PO-DEOGARH, VIA-DEOGARH , DIST-DEOGARH, PIN-768119	DEOGARH	ANM	60	1. RENT AGREEMENT FOR GOVT. OSRTC BUILDING SUBMITTED FOR THREE YEARS. 2. BUILDING COMPLETION CERTIFICATE NOT SUBMITTED. 3. ACADEMIC BUILDING PLAN SUBMITTED FOR ONE ACADEMIC BUILDING (G) -6880 SQFT (INADEQUATE AREA). 4. COMPLETE GEOTAGGED PHOTO OF TEACHING AND HOSTEL BLOCK FROM INSIDE AND OUTSIDE - NOT SUBMITTED. 5. HOSPITAL AFFILIATION COPY FOR THE SESSION 2026-27- NOT SUBMITTED. 6. APPOINTMENT ,JOINING LETTER & TEACHING EXPERIENCE CERTIFICATE OF PRINCIPAL- NOT SUBMITTED. 7. MORE 2 NUMBERS OF TEACHING STAFF WITH APPOINTMENT, JOINING LETTER & ALL QUALIFICATION DETAILS AS PER INC NORM - NOT SUBMITTED. 8. AS PER INSPECTION REPORT- ALL LABS ,LIABRARY ARE NOT WELL EQUIPPED- CLARIFICATION NOT SUBMITTED.
126	DIVINE SCHOOL OF NURSING AT-BAMPARADA ,PO-BAMPARADA, VIA-BARKOTE , DIST-DEOGARH, PIN-768110	DEOGARH	GNM	60	1.FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED. 2.ACADEMIC BUILDING NOT CLARIFIED VIA VIDEOCALL.
127	DEOGARH SCHOOL OF NURSING AT-PRADHAN SAHI ,PO-DEOGARH, VIA-DEOGARH , DIST-DEOGARH, PIN-768108	DEOGARH	GNM	60	REQUEST FOR DATE EXTENSION
128	ACHARYA HARIHARA COLLEGE OF NURSING AT-ANLABERENI ,PO-ANLABERENI, VIA-ANLABERENI , DIST-DHENKANAL, PIN-759026	DHENKANAL	B.Sc-Nursing	40	1. COMPLETE GEOTAGGED PHOTO -NOT SUBMITTED.
129	GURUKRUPA COLLEGE OF NURSING AT-SIBAPUR,PO-SIBAPUR, VIA-MERAMUNDALI , DIST-DHENKANAL, PIN-759121	DHENKANAL	M.Sc-Nursing	25(Medical-Surgical Nursing-5,Community Health Nursing-5,Child Health (Paediatric) Nursing-5,Mental Health (Psychiatric) Nursing-5,O&G Nursing-5)	1. CHC/PHC PERMISSION LETTER FOR THE SESSION 2026-27- NOT SUBMITTED. 2. GEOATAGGED PHOTO OF TEACHING BLOCK-C SUBMITTED BUT NOT CLARIFIED VIA VIDEO CALL (REGARDING FORM -V). 3. AS PER GEOTAAGED PHOTO HOSTEL BUILDING IS UNDERCONSTRUCTION WHICH IS NOT CLARIFIED VIA VIDEO CALL. 4. AS PER INSPECTION REPORT - LABORATORY IS NOT WELL EQUIPPED- NOT CLARIFIED.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
130	KAPILASH COLLEGE OF NURSING AT-KRUSHNAKUMARPUR, BIRADIA,PO-KAIMATI, VIA-GOVINDPUR , DIST-DHENKANAL, PIN-759027	DHENKANAL	GNM	60	1. INADEQUATE AREA AS ACADEMIC BLOCK-1 GROUND FLOOR IS USED FOR PARKING PURPOSE 2. AS PER I.R.- TWO HOSTEL BLOCK SEEN UTILIZED FOR HOUSEHOLD PURPOSE (INSIDE NOT SHOWN NOT CLARIFIED VIA VIDEO CALL).
131	KAPILASH INSTITUTE OF MEDICAL SCIENCE AT-ATINDA,PO-MAHIMAGADI, VIA-GONDIA , DIST-DHENKANAL, PIN-759014	DHENKANAL	GNM	60	1. PRINCIPAL IS INELIGIBLE. 2. INSTITUTE BUILDING BLOCK C IS NOT INSPECTED & NOT CLARIFIED.
132	MAA SUKIABAUTI SCHOOL OF NURSING AT-RASOL,PO-RASOL, VIA-RASOL , DIST-DHENKANAL, PIN-759021	DHENKANAL	GNM	60	1. ACADEMIC BLOCK -A (G+1) = GROUND FLOOR (LOCKED) AND FIRST FLOOR ROOMS ARE NOT WELL EQUIPPED. 2.ACADEMIC BLOCK (B & C (G+1)) = FIRST FLOOR IS OCCUPIED BY THE STAFF.
133	MINATIDEVI SCHOOL OF NURSING AT-KATHAGADA (ANNANDANAGAR),PO-DHENKANAL, VIA-DHENKANAL , DIST-DHENKANAL, PIN-759001	DHENKANAL	ANM	60	1. FIRE SAFETY CERTIFICATE FORM V FROM DFO NOT SUBMITTED.
134	SRI JAGANNATH INSTITUTE OF PARAMEDICAL SCIENCE AT-GADAPARAJANGA,PO-PARAJANGA, VIA- , DIST-DHENKANAL, PIN-759120	DHENKANAL	ANM	60	ABSENT ON THE DAY OF PERSONAL HEARING
135	SRI JAGANNATH INSTITUTE OF PARAMEDICAL SCIENCE AT-GADAPARAJANGA,PO-PARAJANGA, VIA- , DIST-DHENKANAL, PIN-759120	DHENKANAL	GNM	60	ABSENT ON THE DAY OF PERSONAL HEARING
136	CHANDRA SEKHAR SCHOOL OF NURSING AT-SHYAMACHARANPUR ,PO-DHENKANAL, VIA- , DIST-DHENKANAL, PIN-759001	DHENKANAL	GNM	60	ABSENT ON THE DAY OF PERSONAL HEARING
137	ELITE INSTITUTE OF HEALTH SCIENCE AT-BANAMALI PRASAD CHHAK ,PO-MANGALPUR, VIA-DHENKANAL , DIST-DHENKANAL, PIN-759015	DHENKANAL	GNM	60	EXTEND VIA MAIL

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
138	SATYANARAYAN ANM TRAINING SCHOOL AT- SHYAMACHARANPUR, P O-DHENKANAL, VIA- DHENKANAL , DIST- DHENKANAL, PIN- 759001	DHENK ANAL	ANM	60	EXTEND VIA MAIL
139	SATYANARAYAN INSTITUTE OF ALLIED MEDICAL SCIENCE AT- SHYAMACHARANPUR, P O-DHENKANAL, VIA- , DIST-DHENKANAL, PIN- 759001	DHENK ANAL	B.Sc- Nursing	60	EXTEND VIA MAIL
140	JAY GANESH SCHOOL OF NURSING AT-GADASILA, PO- GADASILA, VIA- GADASILA , DIST- DHENKANAL, PIN- 759025	DHENK ANAL	GNM	60	1. NOC ALREADY ISSUED IN W.P.(C)
141	PARALAKHEMUNDI COLLEGE OF NURSING AT-, PO-, VIA- PARALAKHEMUNDI, DIST-GAJAPATI, PIN-	GAJAP ATI	GNM	60	1. BUILDING BLOCK -B SHOWN VIA VIDEO CALL FROM OUTSIDE ONLY (LOCKED).
142	SAIRUDRA COLLEGE OF NURSING AT- PARALEKHEMUNDI, PO- PARALEKHEMUNDI, VIA- GAJAPATI, DIST- GAJAPATI, PIN-761200	GAJAP ATI	ANM	60	DENIED BY THE INSTITUTION
143	SAIRUDRA COLLEGE OF NURSING AT- PARALEKHEMUNDI, PO- PARALEKHEMUNDI, VIA- GAJAPATI, DIST- GAJAPATI, PIN-761200	GAJAP ATI	B.Sc- Nursing	60	1. NEW PRINCIPAL- RADHARANI KALYAMPUDI ABSENT DURING PERSONAL HEARING. 2. PRINCIPAL B.Sc.-N REGISTRATION OF NURSE CERTIFICATE NOT AVAILABLE AND REGISTRATION OF MIDWIFE REGISTRATION NUMBER NOT LEGIBLE. 3. LEGIBLE BUILDING PLAN NOT SUBMITTED.
144	VIDYA NURSING COLLEGE AT- PARALEKHEMUNDI, PO- PARALEKHEMUNDI, VIA- GAJAPATI, DIST- GAJAPATI, PIN-761200	GAJAP ATI	ANM	60	EXTEND VIA MAIL
145	VIDYA NURSING COLLEGE AT- PARALEKHEMUNDI, PO- PARALEKHEMUNDI, VIA- GAJAPATI, DIST- GAJAPATI, PIN-761200	GAJAP ATI	GNM	60	EXTEND VIA MAIL

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COURSE NAME	PROPOSED INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
146	EKALABYA SCHOOL OF NURSING AT-MOHANA,PO-MOHANA, VIA-MOHANA, DIST-GAJAPATI, PIN-761015	GAJAPATI	GNM	60	REQUEST FOR EXTENSION
147	GAJAPATI NURSING SCHOOL AT-MOHANA,PO-MOHANA, VIA-MOHANA, DIST-GAJAPATI, PIN-761015	GAJAPATI	GNM	60	CANCELLED BY INSTITUTION
148	BHANJA COLLEGE OF NURSING AT-SHREE BIHAR,PO-BHANJANAGAR, VIA-BHANJANAGA , DIST-GANJAM, PIN-761126	GANJAM	B.Sc-Nursing	60	1. ACADEMIC BLOCK-B & C IS NOT INSPECTED, SO AREA IS INSUFFICIENT FOR ACADEMIC BLOCK.
149	COLLEGE OF NURSING AND HEALTH SCIENCE AT-KOMAPALLI,PO-KOMAPALLI, VIA-BERHAMPUR , DIST-GANJAM, PIN-760001	GANJAM	GNM	60	1. ACADEMIC BLOCK-B IS NOT INSPECTED, SO AREA IS INSUFFICIENT FOR ACADEMIC BLOCK.
150	KASTURABA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AT-MARTHAPALLI,PO-HUGULAPATA, VIA-GURUNTHI , DIST-GANJAM, PIN-761001	GANJAM	B.Sc-Nursing	60	1. GEOTAGGED PHOTO SUBMITTED AND CLARIFIED VIA VEDIO CALL.(ACADEMIC BLOCK 1 & 2 CONNECTED BY A ROOF AND VEDIO CALL DONE FROM OUTSIDE ONLY)
151	PRESIDENCY COLLEGE OF MEDICAL SCIENCE AT-SIHALA ROAD, KONISI,PO-SUNADAI, VIA-BERHAMPUR , DIST-GANJAM, PIN-761008	GANJAM	GNM	60	1.FROM SUBMITTED GEOTAGGED PHOTO IT IS OBSERVED THAT ACADEMIC BLOCK 1 & 2 IS CONNECTED, FIRE SAFETY CERTIFICATE FORM -V FROM DFO NOT SUBMITTED .
152	SHANTI SCHOOL OF NURSING AND RESEARCH CENTRE AT-DUBUDUBA,PO-BHANJANGARA, VIA- , DIST-GANJAM, PIN-761133	GANJAM	GNM	60	ACADEMIC BUILDING CHANGED DURING 7 DAYS COMPLIANCE WHICH WAS NOT INSPECTED

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
153	ST. XAVIER'S NURSING COLLEGE AT-KONISI, PO-KONISI, VIA- BERHAMPUR, DIST-GANJAM, PIN- 761008	GANJAM	B.Sc- Nursing	60	1. ACADEMIC BLOCK-3 IS NOT INSPECTED, SO AREA IS INSUFFICIENT FOR ACADEMIC BLOCK.
154	SUGERCITY SCHOOL OF NURSING AT-ASKA, PO-ASKA, VIA- ASKA, DIST- GANJAM, PIN-761110	GANJAM	GNM	60	1. AREA IS INSUFFICIENT FOR ACADEMIC BLOCK. 2. PREVIOUS PRINCIPAL Ms. CHHANDAMAYEE PRADHAN RELIEVING ORDER NOT SUBMITTED. 3. GEOTAGGED PHOTO AND FIRE SAFETY AFFIDAVIT OF TWO NEW BUILDINGS NOT SUBMITTED. 4. JOINING LETTER AND INITIAL REGISTRATION CERTIFICATE OF NEW PRINCIPAL NOT SUBMITTED . 5. COMPLETE GEOTAGGED PHOTO NOT SUBMITTED 6. HOSTEL BUILDING RELATED DOCUMENT NOT SUBMITTED.
155	THE INTELLECT COLLEGE OF NURSING AT-ENGG SCHOOL ROAD, PO-BERHAMPUR, VIA- , DIST-GANJAM, PIN-760010	GANJAM	GNM	60	1. INSPECTION FEES NOT SUBMITTED. 2. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED.
156	THE INTELLECT COLLEGE OF NURSING AT-ENGG SCHOOL ROAD, PO-BERHAMPUR, VIA- , DIST-GANJAM, PIN-760010	GANJAM	B.Sc- Nursing	60	1. INSPECTION FEES NOT SUBMITTED. 2. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED. 3. DOCUMENTS FOR VICE- PRINCIPAL NOT SUBMITTED.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COURSE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
157	RUDRANSH INSTITUTE OF MEDICAL SCIENCE AT-KARAPALLI MAIN ROAD, PO-NARAYANPUR, VIA-BERHAMPUR, DIST-GANJAM, PIN-761002	GANJAM	GNM	60	1. ACADEMIC BLOCK-B IS NOT INSPECTED & NOT CLARIFIED VIA VIDEO CALL.
158	BALABATI DEVI SCHOOL OF NURSING AT-PLOT NO – 3684/3701 BARIKPALI, PO-KHOLAKHALI, VIA-BUGUDA, DIST-GANJAM, PIN-761118	GANJAM	GNM	60	1. ACADEMIC BUILDING COMPLETELY CHANGED WHICH WAS NOT INSPECTED. 2. TEACHING EXPERIENCE CERTIFICATE DATE OF PRINCIPAL-SABITA GOUDA MISMATCHED WITH DOCUMENTS UPLOAD IN THE CHAT ROOM- CLARIFICATION NOT SUBMITTED.
159	COLLEGE OF NURSING AND MANAGEMENT AT-KHAJURIA, PO-PHULTA, VIA-BERHAMPUR, DIST-GANJAM, PIN-760003	GANJAM	GNM	60	1. FIRE SAFETY CERTIFICATE FORM-V NOT SUBMITTED.
160	JANA KALYAN INSTITUTE OF NURSING AND HEALTH SCIENCE AT-RANAJHALI, PO-RANAJHALI, VIA-PURUSHOTTOMPUR, DIST-GANJAM, PIN-761018	GANJAM	PB BSc (Post Basic BSc) Nursing	60	DENIED
161	JAGANNATH INSTITUTE OF HEALTH SCIENCES AND RESEARCH AT-KADUAPADA, PO-JAGATSINGHPUR, VIA-JAGATSINGHPUR, DIST-JAGATSINGHPUR, PIN-754106	JAGAT SINGHPUR	ANM	60	1. RECIPROCAL REGISTRATION CERTIFICATE OR APPLIED COPY OF NEW PRINCIPAL MR. NUTAN KUMAR H C NOT SUBMITTED.
162	JAGANNATH INSTITUTE OF HEALTH SCIENCES AND RESEARCH AT-KADUAPADA, PO-JAGATSINGHPUR, VIA-JAGATSINGHPUR, DIST-JAGATSINGHPUR, PIN-754106	JAGAT SINGHPUR	GNM	60	1. RECIPROCAL REGISTRATION CERTIFICATE OR APPLIED COPY OF NEW PRINCIPAL MR. NUTAN KUMAR H C NOT SUBMITTED.
163	JAGANNATH INSTITUTE OF HEALTH SCIENCES AND RESEARCH AT-KADUAPADA, PO-JAGATSINGHPUR, VIA-JAGATSINGHPUR, DIST-JAGATSINGHPUR, PIN-754106	JAGAT SINGHPUR	B.Sc-Nursing	60	1. RECIPROCAL REGISTRATION CERTIFICATE OR APPLIED COPY OF NEW PRINCIPAL MR. NUTAN KUMAR H C NOT SUBMITTED.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
164	SARASWATI COLLEGE OF PARAMEDICAL EDUCATION AT-NUAPOKHARI,PO-DAGARAPADA, VIA-MANIJANGA , DIST-JAGATSINGHPUR, PIN-754160	JAGAT SINGH PUR	ANM	60	1. ACADEMIC BUILDING 1 & 2 IS JOINED BY ONE ROOF AND BUILT UP AREA IS 19,818 SQFT BUT FIRE SAFETY CERTIFICATE FORM V FROM DFO NOT SUBMITTED. 2. VEDIO CALL DONE ONLY FROM OUTSIDE.
165	SARASWATI COLLEGE OF PARAMEDICAL EDUCATION AT-NUAPOKHARI,PO-DAGARAPADA, VIA-MANIJANGA , DIST-JAGATSINGHPUR, PIN-754160	JAGAT SINGH PUR	GNM	60	1. ACADEMIC BUILDING 1 & 2 IS JOINED BY ONE ROOF AND BUILT UP AREA IS 19,818 SQFT BUT FIRE SAFETY CERTIFICATE FORM V FROM DFO NOT SUBMITTED. 2. VEDIO CALL DONE ONLY FROM OUTSIDE. 3. MOU FOR 100 BEDED PARENT HOSPITAL NOT SUBMITTED.
166	SHRIKRISHNA INSTITUTE OF NURSING AND MEDICAL SCIENCE AT-ALIPINGAL,PO-ALIPINGAL , VIA-ALIPINGAL , DIST-JAGATSINGHPUR, PIN-754103	JAGAT SINGH PUR	GNM	60	1. ACADEMIC BLOCK D WAS NOT INSPECTED,INSUFFICIENT AREA. 2. INCOMPLETE GEOTAGGED PHOTO SUBMITTED. 3. CLARIFICATION NOT SUBMITTED REGARDING CLASSROOMS,LABS AND HOSTEL BUILDING NOT BEING PROPERLY EQUIPPED & ARRANGED.
167	SITARAM SCHOOL OF NURSING AT-NUAGADA,PO-PARADEEPLOCK, VIA-KUJANGA , DIST-JAGATSINGHPUR, PIN-754141	JAGAT SINGH PUR	ANM	60	AS PER THE PHYSICAL INSPECTION REPORT- i) ACADEMIC BLOCK-A (G+1) HAVING BUILTUP AREA =10,608 SQFT ACADEMIC BLOCK-B (G) HAVING BUILTUP AREA = 5,304 SQFT ACADEMIC BLOCK-C (G+1) HAVING BUILTUP AREA =3,500 SQFT ACADEMIC BLOCK-D (G+1) HAVING BUILTUP AREA =3,100 SQFT ii) HOSTEL BLOCK NOT MEASURED(IT IS LOCKED DURING INSPECTION). iii) THE MAIN ACADEMIC BUILDING(BLOCK -A) IS 2KM DISTANCE FROM OTHER TWO G+1 ACADEMIC BUILDINGS BUT AS PER DOCUMENTS (BUILDING PLAN AND COMPLETION CERTIFICATE) SUBMITTED BY THE TEAM FOUND ALL BLOCKS ARE SITUATED IN A SINGLE PLOT AND KHATA NUMBER. iv) ALL THE LABS AND ROOMS ARE UNDER RENNOVATION OF COLOURING AND PARTITIONING. v) ALL THE LABS ARE NOT WELL EQUIPPED. vi) BOOKS ARE NOT KEPT IN PROPER ROOM. vii) AS PER STAFF OF INSTITUTION THE EQUIPMENTS ARE KEPT IN A ROOM WHICH IS LOCKED(NOT INSPECTED). viii) BLOCK-B IS FOUND EXISISTING WITH I.T.I. INSTRUMENTS/DICE/DEVICE.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
168	SITARAM SCHOOL OF NURSING AT-NUAGADA,PO- PARADEEPLOCK, VIA- KUJANGA , DIST- JAGATSINGHPUR, PIN- 754141	JAGAT SINGH PUR	GNM	60	AS PER THE PHYSICAL INSPECTION REPORT- i) ACADEMIC BLOCK-A (G+1) HAVING BUILTUP AREA =10,608 SQFT ACADEMIC BLOCK-B (G) HAVING BUILTUP AREA = 5,304 SQFT ACADEMIC BLOCK-C (G+1) HAVING BUILTUP AREA =3,500 SQFT ACADEMIC BLOCK-D (G+1) HAVING BUILTUP AREA =3,100 SQFT ii) HOSTEL BLOCK NOT MEASURED(IT IS LOCKED DURING INSPECTION). iii) THE MAIN ACADEMIC BUILDING(BLOCK -A) IS 2KM DISTANCE FROM OTHER TWO G+1 ACADEMIC BUILDINGS BUT AS PER DOCUMENTS (BUILDING PLAN AND COMPLETION CERTIFICATE) SUBMITTED BY THE TEAM FOUND ALL BLOCKS ARE SITUATED IN A SINGLE PLOT AND KHATA NUMBER. iv) ALL THE LABS AND ROOMS ARE UNDER RENNOVATION OF COLOURING AND PARTITIONING. v) ALL THE LABS ARE NOT WELL EQUIPPED. vi) BOOKS ARE NOT KEPT IN PROPER ROOM. vii) AS PER STAFF OF INSTITUTION THE EQUIPMENTS ARE KEPT IN A ROOM WHICH IS LOCKED(NOT INSPECTED). viii) BLOCK-B IS FOUND EXISISTING WITH I.T.I. INSTRUMENTS/DICE/DEVICE.
169	ZENESYS COLLEGE AND SCHOOL OF NURSING AT-PRAGYAN VIHAR,PO-HAJIPUR, VIA-BIRIDI , DIST- JAGATSINGHPUR, PIN- 754111	JAGAT SINGH PUR	B.Sc- Nursing	60	EXTEND VIA MAIL

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COURSE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
170	TRAYAMBAKAM COLLEGE OF NURSING & PARAMEDICAL SCIENCE AT/PO-ANAKHIA, DIST- JAGATSINGHPUR, PIN- 754102	JAGAT SINGH PUR	B.Sc- Nursing	60	NOT JOINED
171	HITECH COLLEGE OF PHARMACY & NURSING AT-MANJURI ,PO- PATARANGA, VIA- KORAI , DIST-JAJPUR, PIN-755019	JAJPUR	GNM	60	1. COMPLETE GEOTTAGED PHOTO NOT SUBMITTED. 2. ACADEMIC BUILDING MISMATCHED WITH INSPECTION REPORT, NOT CLARIFIED VIA VEDIO CALL.
172	JAJATI KESHARI SCHOOL OF NURSING AT-MALLIKAPUR,PO- MALLIKAPUR, VIA- , DIST-JAJPUR, PIN- 755036	JAJPUR	GNM	60	1. EXPERIENCE CERTIFICATE OF NEW PRINCIPAL TEJASHREE SAHU NOT SUBMITTED. 2. RELIEVING ORDER OF PREVIOUS PRINCIPAL Ms. ANKITA KAR NOT SUBMITTED.
173	MAA DARIYA NAHAKANI COLLEGE OF NURSING AT-OLEI CHANDANPUR, PO-OLEI CHANDANPUR, VIA-SINGHPUR , DIST- JAJPUR, PIN-755016	JAJPUR	GNM	60	1. ACADEMIC BLOCK 2 GROUND FLOOR IS LOCKED (VIA VIDEOCALL).
174	NATIONAL INSTITUTE OF MEDICAL AND PARAMEDICAL SCIENCES AT-MANJURI (LAXMI NAGAR),PO- PACHHIKOTE, VIA- JAJPUR ROAD , DIST- JAJPUR, PIN-755019	JAJPUR	ANM	60	1. COMPLETE GEOTTAGED PHOTO OF ACADEMIC BLOCK AND HOSTEL BLOCK NOT SUBMITTED. 2. PRINCIPAL INITIAL (BSc.-N & M.Sc.-N) REGISTRATION CERTIFICATE NOT SUBMITTED. 3. THE SNAPSHOT TAKEN BY THE INSPECTORS (DURING THE ONLINE INSPECTION),ONE BUILDING IS OBSERVED TO BE (G+2) - NOT CLARIFIED VIA VEDIO CALL/ FORM V NOT SUBMITTED.
175	NATIONAL INSTITUTE OF MEDICAL AND PARAMEDICAL SCIENCES AT-MANJURI (LAXMI NAGAR),PO- PACHHIKOTE, VIA- JAJPUR ROAD , DIST- JAJPUR, PIN-755019	JAJPUR	GNM	60	1. MOU FOR 100 BEDDED PARENT HOSPITAL-NOT SUBMITTED . 2. COMPLETE GEOTTAGED PHOTO OF ACADEMIC BLOCK AND HOSTEL BLOCK NOT SUBMITTED. 3. PRINCIPAL INITIAL (BSc.-N & M.Sc.-N) REGISTRATION CERTIFICATE NOT SUBMITTED. 4. THE SNAPSHOT TAKEN BY THE INSPECTORS (DURING THE ONLINE INSPECTION),ONE BUILDING IS OBSERVED TO BE (G+2) - NOT CLARIFIED VIA VEDIO CALL/ FORM V NOT SUBMITTED.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
176	NEELACHAL MEDICAL SCIENCE AT-DANAGADI KALINGANAGAR, PO-DANAGADI KALINGANAGAR, VIA-DANAGADI KALINGANAGAR , DIST-JAJPUR, PIN-755026	JAJPUR	ANM	60	1. INCOMPLETE GEOTAGGED PHOTO SUBMITTED. 2. A LOCKED BUILDING SHOWN FROM DISTANCE AS GIRLS'S HOSTEL WHICH WAS SURROUNDED BY BUSHES, SHRUBS & GRASS. THERE WAS AN ELECTRICAL TRANSFORMER NEAR-BY THE BUILDING - CLARIFICATION NOT DONE VIA VEDIO CALL . 3. TEACHING EXPERIENCE CERTIFICATE OF NEW PRINCIPAL M/S ANKITA KAR NOT SUBMITTED. 4. RELIEVING ORDER OF PREVIOUS PRINCIPAL Mrs. SAUMYA KAR NOT SUBMITTED.
177	NEELACHAL MEDICAL SCIENCE AT-DANAGADI KALINGANAGAR, PO-DANAGADI KALINGANAGAR, VIA-DANAGADI KALINGANAGAR , DIST-JAJPUR, PIN-755026	JAJPUR	GNM	60	1. CLINICAL ESTABLISHMENT COPY OF PARENT HOSPITAL NOT SUBMITTED. 2. INCOMPLETE GEOTAGGED PHOTO SUBMITTED. 3. A LOCKED BUILDING SHOWN FROM DISTANCE AS GIRLS'S HOSTEL WHICH WAS SURROUNDED BY BUSHES, SHRUBS & GRASS. THERE WAS AN ELECTRICAL TRANSFORMER NEAR-BY THE BUILDING - CLARIFICATION NOT DONE VIA VEDIO CALL . 4. TEACHING EXPERIENCE CERTIFICATE OF NEW PRINCIPAL M/S ANKITA KAR NOT SUBMITTED. 5. RELIEVING ORDER OF PREVIOUS PRINCIPAL Mrs. SAUMYA KAR NOT SUBMITTED.
178	NOBEL COLLEGE OF NURSING AT-745,ANDHARI, PO-JAJPUR ROAD, VIA-PANIKOEILI , DIST-JAJPUR, PIN-755019	JAJPUR	ANM	60	1. RECIPROCAL REGISTRATION CERTIFICATE OF NEW PRINCIPAL MR. CHARAN SINGH NOT SUBMITTED
179	NOBEL COLLEGE OF NURSING AT-745,ANDHARI, PO-JAJPUR ROAD, VIA-PANIKOEILI , DIST-JAJPUR, PIN-755019	JAJPUR	GNM	60	1. RECIPROCAL REGISTRATION CERTIFICATE OF NEW PRINCIPAL MR. CHARAN SINGH NOT SUBMITTED
180	NOBEL COLLEGE OF NURSING AT-745,ANDHARI, PO-JAJPUR ROAD, VIA-PANIKOEILI , DIST-JAJPUR, PIN-755019	JAJPUR	B.Sc- Nursing	60	1. RECIPROCAL REGISTRATION CERTIFICATE OF NEW PRINCIPAL MR. CHARAN SINGH NOT SUBMITTED
181	REGIONAL COLLEGE OF NURSING AT-PLOT NO - 184 & 185, SAROI, PO-HARIDASHPUR, VIA-DHARMASALA , DIST-JAJPUR, PIN-755024	JAJPUR	GNM	60	1. RECIPROCAL REGISTRATION CERTIFICATE OF PRINCIPAL GUNDLAPALLI DIVYA NOT SUBMITTED. 2. INSTITUTE ADDRESS MISMATCHED WITH GEOTAGGED PHOTOGRAPHS ADDRESS - NOT CLARIFIED. 3. MOU / TRUST RESOLUTION FOR (100 BEDDED) PARENT HOSPITAL - NOT IN PROPER ORDER.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
182	SAI SAMRATH NURSING COLLEGE AT-SINGHPUR, PO-SINGHPUR, VIA-JAJPUR , DIST-JAJPUR, PIN-755016	JAJPUR	GNM	60	1. ACADEMIC BLOCK 2 & 3 ARE NOT INSPECTED & NOT CLARIFIED VIA VIDEO CALL.
183	SAI SRUSTHI SCHOOL & COLLEGE OF NURSING AT-KAMAGADA,JAJPUR, PO-JAJPUR, VIA-JAJPUR , DIST-JAJPUR, PIN-755001	JAJPUR	GNM	60	1. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED FOR ACADEMIC BLOCK B & C.
184	SAI SRUSTHI SCHOOL & COLLEGE OF NURSING AT-KAMAGADA,JAJPUR, PO-JAJPUR, VIA-JAJPUR , DIST-JAJPUR, PIN-755001	JAJPUR	B.Sc- Nursing	60	1. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED FOR ACADEMIC BLOCK B & C.
185	SAIYONI COLLEGE OF NURSING AT-NC COLLEGE ROAD, PO-JAJPUR TOWN, VIA-JAJPUR , DIST-JAJPUR, PIN-755001	JAJPUR	ANM	60	1. RELIEVING ORDER OF PREVIOUS PRINCIPAL- Ms. PRALIPTI GHADAI NOT SUBMITTED. 2. INITIAL REGISTRATION CERTIFICATE OF NEW PRINCIPAL RASMITA MALLIK NOT SUBMITTED. 3. COMPLETE GEOTAGGED PHOTO NOT SUBMITTED. 4. CLARIFICATION NOT SUBMITTED FOR ACADEMIC BUILDING IS USED FOR OTHER BUSINESS PURPOSE.
186	SAIYONI COLLEGE OF NURSING AT-NC COLLEGE ROAD, PO-JAJPUR TOWN, VIA-JAJPUR , DIST-JAJPUR, PIN-755001	JAJPUR	GNM	60	1. RELIEVING ORDER OF PREVIOUS PRINCIPAL- Ms. PRALIPTI GHADAI NOT SUBMITTED. 2. INITIAL REGISTRATION CERTIFICATE OF NEW PRINCIPAL RASMITA MALLIK NOT SUBMITTED. 3. COMPLETE GEOTAGGED PHOTO NOT SUBMITTED. 4. CLARIFICATION NOT SUBMITTED FOR ACADEMIC BUILDING IS USED FOR OTHER BUSINESS PURPOSE. 5. MOU / TRUST RESOLUTION FOR (100 BEDDED) PARENT HOSPITAL NOT SUBMITTED.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
187	SHREEYA COLLEGE OF NURSING AT-RATNAGIRI, PO-RATNAGIRI, VIA-INDUPUR , DIST-JAJPUR, PIN-	JAJPUR	B.Sc-Nursing	60	1. LEGIBLE BUILDING PLAN FOR TEACHING BLOCK NOT SUBMITTED. 2. COMPLETE AND LEGIBLE GEOATGGED PHOTOGRAPHS OF THE TEACHING AND HOSTEL BLOCKS FROM OUTSIDE NOT SUBMITTED.
188	SUCHISMITA COLLEGE OF NURSING & RESEARCH AT-THALUKURI, PO-MANGALPUR, VIA-MANGALPUR , DIST-JAJPUR, PIN-755011	JAJPUR	GNM	60	1. COMPLETE BUILDING CHANGED WHICH IS NOT INSPECTED & NOT CLARIFIED VIA VEDIO CALL.
189	XAVIER NURSING COLLEGE AT-F. C. PROJECT, PO-F. C. PROJECT, VIA-JAJPUR ROAD , DIST-JAJPUR, PIN-755020	JAJPUR	M.Sc-Nursing	25(Child Health (Paediatric) Nursing-5,Community Health Nursing-5,Medical-Surgical Nursing-5,Mental Health (Psychiatric) Nursing-5,O&G Nursing-5)	1. PRINCIPAL Mrs. TILOTTAMA MOHANTY B.SC-N INITIAL REGISTRATION CERTIFICATE NOT SUBMITTED. 2. DECLARATION OF THE FINAL EXAMINATION RESULT FOR THE FIRST BATCH OF B.Sc.-N STUDENTS AND SUBMIT PASS-OUT STUDENTS LIST - NOT SUBMITTED. 3. MOU NOT IN PROPER ORDER. 4. LEGIBLE BUILDING PLAN NOT SUBMITTED.
190	EKALAVYA COLLEGE OF PARAMEDICAL SCIENCE AT-CHANDIKHOL,PO-CHANDIKHOL, VIA-CHANDIKHOL , DIST-JAJPUR, PIN-755044	JAJPUR	ANM	60	NOT JOINED
191	EKALAVYA COLLEGE OF PARAMEDICAL SCIENCE AT-CHANDIKHOL,PO-CHANDIKHOL, VIA-CHANDIKHOL , DIST-JAJPUR, PIN-755044	JAJPUR	GNM	60	NOT JOINED
192	VIDYA COLLEGE OF MEDICAL & HOSPITAL TRAINING AT-KOUTARA, PO-DHANESWAR, VIA-PANIKOILI , DIST-JAJPUR, PIN-755022	JAJPUR	PB BSc (Post Basic BSc) Nursing	60	INSTITUTE DID NOT COOPERATE DURING ONLINE INSPECTION
193	DIET-NURSING COLLEGE AT- SUNARIMUNDA, PO-SARBAHAL, VIA-JHARSUGUDA , DIST-JHARSUGUDA, PIN-768201	JHARSUGUDA	GNM	60	1. INCOMPLETE GEOTAGGED PHOTO SUBMITTED & NOT CLARIFIED VIA VEDIO CALL. 2. 2. ACADEMIC BLOCK-B & C IS NOT INSPECTED & NOT CLARIFIED VIA VEDIO CALL.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
194	SWAMI BIBEKANANDA GNM SCHOOL OF NURSING, AT- JHARSUGUDA, PO- JHARSUGUDA, VIA- JHARSUGUDA, DIST- JHARSUGUDA, PIN- 768203	JHARS UGUD A	GNM	60	1. INCOMPLETE GEOTTAGED PHOTO SUBMITTED WITHOUT INSTITUTE BANNER.
195	AIMS INSTITUTE OF MEDICAL SCIENCE AT- MAULI MAA NAGAR, PO-EKATALI, VIA-JHARSUGUDA , DIST-JHARSUGUDA, PIN-768202	JHARS UGUD A	GNM	60	CANCELLED BY THE INSTITUTION
196	AIMS INSTITUTE OF MEDICAL SCIENCE AT- MAULI MAA NAGAR, PO-EKATALI, VIA-JHARSUGUDA , DIST-JHARSUGUDA, PIN-768202	JHARS UGUD A	B.Sc- Nursing	60	CANCELLED BY THE INSTITUTION
197	BELPAHAR NURSING COLLEGE AT- BELPAHAR, PO- BELPAHAR, VIA- BELPAHAR , DIST- JHARSUGUDA, PIN- 768218	JHARS UGUD A	GNM	60	NOT JOIN
198	YOBHODAYA INSTITUTE OF TECHNOLOGY AT- JHARSUGUDA, PO- JHARSUGUDA, VIA- JHARSUGUDA, DIST- JHARSUGUDA, PIN- 768201	JHARS UGUD A	ANM	60	REQUEST FOR DATE EXTEND
199	YOBHODAYA INSTITUTE OF TECHNOLOGY AT- JHARSUGUDA, PO- JHARSUGUDA, VIA- JHARSUGUDA, DIST- JHARSUGUDA, PIN- 768201	JHARS UGUD A	GNM	60	REQUEST FOR DATE EXTEND
200	AIMS INSTITUTE OF MEDICAL SCIENCE AT- MAULI MAA NAGAR, PO-EKATALI, VIA-JHARSUGUDA , DIST-JHARSUGUDA, PIN-768202	JHARS UGUD A	PB BSc (Post Basic BSc) Nursing	60	CANCELLED BY THE INSTITUTION

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
201	AIMS INSTITUTE OF MEDICAL SCIENCE AT- MAULI MAA NAGAR, PO-EKATALI, VIA-JHARSUGUDA , DIST-JHARSUGUDA, PIN-768202	JHARS UGUDA A	ANM	60	CANCELLED BY THE INSTITUTION
202	CRISTINA SCHOOL OF NURSING AT- KURLUPADA, PO-TAHANSIR, VIA-KESINGA, DIST-KALAHANDI, PIN-766012	KALAH ANDI	GNM	60	1. FORM V FROM DFO NOT SUBMITTED.
203	EXCELLENCE COLLEGE OF NURSING JUNAGARH KALAHANDI AT- JUNAGARH, PO-JUNAGARH, VIA-JUNAGARH, DIST-KALAHANDI, PIN-766014	KALAH ANDI	GNM	60	1. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED.
204	EXCELLENCE COLLEGE OF NURSING JUNAGARH KALAHANDI AT- JUNAGARH, PO-JUNAGARH, VIA-JUNAGARH, DIST-KALAHANDI, PIN-766014	KALAH ANDI	B.Sc- Nursing	60	1. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED. 2. DOCUMENTS RELATED TO VICE PRINCIPAL NOT SUBMITTED. 3. COMPLETE GEOTAGGED PHOTO NOT SUBMITTED.
205	GARGISHREE COLLEGE OF NURSING AT- MRAMPUR, PO-M RAMPUR, VIA- M RAMPUR, DIST-KALAHANDI, PIN-766102	KALAH ANDI	GNM	60	1. COMPLETE GEOTAGGED PHOTO OF ACADEMIC BLOCK 2 & 3 NOT SUBMITTED
206	KALAHANDI COLLEGE OF NURSING AT- BHAWANIPATNA, PO-BHAWANIPATNA, VIA- BHAWANIPATNA, DIST-KALAHANDI, PIN-766002	KALAH ANDI	GNM	60	1. COMPLETE GEOTTAGED PHOTO NOT SUBMITTED. 2. ACADEMIC BUILDING DOCUMENT SUBMITTED BY THE INSTITUTE MISMATCHED WITH INSPECTION REPORT REGARDING CLARIFICATION NOT SUBMITTED.
207	MAA TARA COLLEGE OF NURSING AT- PUTIGAON, PO-S .MALAPADA, VIA-KARLAMUNDA, DIST-KALAHANDI, PIN-766031	KALAH ANDI	GNM	60	AREA INADEQUATE FOR GNM

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
208	MUKTI COLLEGE OF NURSING PLOT NUMBER- 1968,1970,1973/2699 & 1971,JAGANNATHPADA SAHL,DHARMAGARH, PO-DHARMAGARH, PS-DHARMAGARH, DIST-KALAHANDI, PIN-766015	KALAH ANDI	GNM	60	1. ACADEMIC BLOCK B GROUND FLOOR IS NOT WELL FURNISHED. 2. IN CHAT ROOM ACADEMIC BLOCK B PHOTO UPLOADED AS HOSTEL BUILDING WHICH IS MISMATCHED WITH DOCUMENTS SUBMITTED BY THE INSTITUTE DURING PERSONAL HEARING. 3. COMPLETE GEOTTAGED PHOTO NOT SUBMITTED.
209	SRI RAM SCHOOL OF NURSING AT- CHALANPINDA, PO-MADANPUR RAMPUR, VIA- MADANPUR RAMPUR, DIST-KALAHANDI, PIN-766102	KALAH ANDI	GNM	60	ACADEMIC BLOCK-B & C IS NOT INSPECTED AND NOT CLARIFIED VIA VIDEOCALL.
210	JUNAGARH NURSING COLLEGE AT- JUNAGARH, PO-JUNAGARH, VIA-JUNAGARH, DIST-KALAHANDI, PIN-766014	KALAH ANDI	GNM	60	REQUEST FOR DATE EXTEND
211	DHARMAGARH COLLEGE OF NURSING AT- DHARMAGARH, PO-DHARMAGARH, VIA-DHARMAGARH, DIST-KALAHANDI, PIN-766015	KALAH ANDI	GNM	60	NOT JOINED
212	IDEAL INSTITUTE OF MEDICAL AND SCIENCE AT- DHIPASA, PO-MASTERPADA, VIA-PHULBANI, DIST-KANDHAMAL, PIN-762001	KAND HAMA L	GNM	60	1. INTERCHANGED ACADEMIC BLOCK AND HOSTEL BLOCK AFTER INSPECTION BUT NOT CLARIFIED VIA VEDIO CALL DURING PERSONAL HEARING.
213	PHULBANI INSTITUTE OF MEDICAL SCIENCE AT- , PO-, VIA-PHULBANI, DIST-KANDHAMAL, PIN-	KAND HAMA L	GNM	60	1. ACADEMIC BLOCK-B IS NOT INSPECTED & NOT CLARIFIED VIA VIDEO CALL.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
214	PUBLIC SCHOOL OF NURSING AT-AGRICULTURE COLONY, PO-PHULBANI, VIA-PHULBANI, DIST-KANDHAMAL, PIN-762001	KAND HAMA L	GNM	60	1. APPOINTMENT & JOINING LETTER OF PRIYANKA SUNA & VALID REGISTRATION CERTIFICATE OF MUNASINI SAHOO IN PROPER ORDER NOT SUBMITTED. 2. JOINING LETTER IN PROPER ORDER OF PRINCIPAL M/S MAHALAKSHMI. S NOT SUBMITTED. 3. COMPLETE GEOTAGGED PHOTO OF TEACHING AND HOSTEL BLOCK FROM INSIDE & OUTSIDE NOT SUBMITTED. 4. FIRE SAFETY CERTIFICATE FOR NEW ACADEMIC BUILDING NOT SUBMITTED.
215	SAI NURSING COLLEGE AT-NUASAH, PO-BALIGUDA, VIA-BALIGUDA, DIST-KANDHAMAL, PIN-762103	KAND HAMA L	B.Sc- Nursing	60	1. RECIPROCAL REGISTARTION CERTIFICATE OF PRINCIPAL NOT SUBMITTED
216	SWAPNESWAR COLLEGE OF NURSING AT-PHULBANI, PO-PHULBANI, VIA-PHULBANI, DIST-KANDHAMAL, PIN-	KAND HAMA L	GNM	60	1.ACADEMIC BLOCK -B IS NOT INSPECTED & NOT CLARIFIED VIA VEDIO CALL.
217	BALIGUDA NURSING COLLEGE AT- BALIGUDA, PO-BALIGUDA, VIA-BALIGUDA, DIST-KANDHAMAL, PIN-762103	KAND HAMA L	ANM	60	1. PRINCIPAL SWAGATIKA DAS CURRENTLY WORKING AS A NURSING OFFICER AT ADITYA ASHWINI, BHUBANESWAR AND HAVE NO TEACHING EXPERIENCE.
218	BALIGUDA NURSING COLLEGE AT- BALIGUDA, PO-BALIGUDA, VIA-BALIGUDA, DIST-KANDHAMAL, PIN-762103	KAND HAMA L	GNM	60	1. PRINCIPAL SWAGATIKA DAS CURRENTLY WORKING AS A NURSING OFFICER AT ADITYA ASHWINI, BHUBANESWAR AND HAVE NO TEACHING EXPERIENCE.
219	BALAJI COLLEGE OF MEDICAL SCIENCE AT- PATABALI SAHI, PO-CONTRACTORPADA, VIA- PHULBANI, DIST-KANDHAMAL, PIN-762002	KAND HAMA L	ANM	60	1. FIRE SAFETY CERTIFICATE FORM V FORM DFO NOT SUBMITTED.
220	BALAJI COLLEGE OF MEDICAL SCIENCE At- PATABALI SAHI, Po- CONTRACTORPADA, Via- PHULBANI, Dist- KANDHAMAL, Pin- 762002	KAND HAMA L	GNM	60	1. FIRE SAFETY CERTIFICATE FORM V FORM DFO NOT SUBMITTED.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COURSE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
221	BALAJI COLLEGE OF MEDICAL SCIENCE AT- PATABALI SAHI, PO-CONTRACTORPADA, VIA- PHULBANI, DIST- KANDHAMAL, PIN- 762002	KAND HAMA L	B.Sc- Nursing	60	1. FIRE SAFETY CERTIFICATE FORM V FORM DFO NOT SUBMITTED.
222	ARUN MSC NURSING COLLEGE, RAMNAGR, PO-RAMNAGAR, VIA- RAMNAGAR, DIST- KENDRAPARA, PIN- 754224	KENDR APARA	M.Sc-N- 25 (Child Health Nursing (Paediatric)-5, Community Health Nursing -5, Medical - Surgical Nursing -5, Mental Health (Psychiatric) Nursing -5, O&G Nursing -5)	25	1. TWO NUMBERS OF BUILDING CLARIFIED VIA VIDEO CALL, BUT DOCUMENTS SUBMITTED FOR 3 BUILDINGS.(INADEQUATE INFRASTRUCTURE)
223	BHUBANESWAR INSTITUTE OF MEDICAL SCIENCE, AT- KENDRAPARA, PO- KENDRAPARA, VIA- KENDRAPARA, DIST- KENDRAPARA, PIN- 754211	KENDR APARA	GNM	60	3 NUMBERS OF ACADEMIC BUILDING CLARIFIED VIA VIDEO CALL, BUT ALL BUILDINGS ARE UNDER LOCK & KEY
224	CREATIVE JUNIOR NURSING SCHOOL, AT- HAJARIBAGICHA JAIPURA NEAR MATRU SAKTI FLOUR MILL , MEDICAL ROAD, PO- KENDRAPARA, VIA- KENDRAPARA, DIST- KENDRAPARA, PIN- 754211	KENDR APARA	ANM	60	1. NEW BUILDING RELATED DOCUMENTS SUBMITTED WHICH WAS NOT INSPECTED, BUT BUILDING PHOTO REMAINED SAME.
225	CREATIVE JUNIOR NURSING SCHOOL, AT- HAJARIBAGICHA JAIPURA NEAR MATRU SAKTI FLOUR MILL , MEDICAL ROAD, PO- KENDRAPARA, VIA- KENDRAPARA, DIST- KENDRAPARA, PIN- 754211	KENDR APARA	GNM	60	1. NEW BUILDING RELATED DOCUMENTS SUBMITTED WHICH WAS NOT INSPECTED, BUT BUILDING PHOTO REMAINED SAME.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
226	K&T SCHOOL OF NURSING, AT- MATIA, PO-KHARIANTA, VIA- PATTAMUNDAI, DIST- KENDRAPARA, PIN- 754215	KENDR APARA	GNM	60	1. PRINCIPAL CLARIFIED THAT HE HAS NO TEACHING EXPERIENCE, PRESENTLY HE IS WORKING AS A NURSING OFFICER. 2. INFRASTRUCTURE NOT CLARIFIED VIA VIDEO CALL.
227	KSHYANAPRAVA INSTITUTE OF NURSING & HEALTH SCIENCES, AT- RAIPUR, PO- KUSIAPAL, VIA- DERABIS, DIST- KENDRAPARA, PIN- 754250	KENDR APARA	GNM	60	1. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED.
228	SNEHAL SCHOOL OF NURSING, AT- GARJANPUR, PO- MADANPUR, VIA- RAJNAGAR, DIST- KENDRAPARA, PIN- 754225	KENDR APARA	GNM	60	1. INSTITUTION BUILDING NOT CLARIFIED VIA VIDEO CALL. 2. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED.
229	CIMSAR KENDRAPADA, AT- PURUSOTTAMPUR, PO-PURUSOTTAMPUR, VIA-KARILOPATNA, DIST-KENDRAPARA, PIN-754223	KENDR APARA	GNM	60	INSTITUTION ABSENT ON PERSONAL HEARING
230	GOBINDA SCHOOL OF NURSING, AT- INDUPUR, PO-INDUPUR, VIA-NIKIRAI, DIST- KENDRAPARA, PIN- 754214	KENDR APARA	GNM	60	APPLICATION CANCELLED BY THE INSTITUTION VIDE LT NO- GSON-04 DT. 01.09.2025
231	ADIGURU COLLEGE OF NURSING AT-KENDRAPARA, PO- KENDRAPARA, VIA- KENDRAPARA, DIST- KENDRAPARA, PIN- 754224	KENDR APARA	GNM	60	1. MOU / TRUST RESOLUTION FOR (100 BEDDED) PARENT HOSPITAL NOT SUBMITTED. 2. SBI PAYMENT CHALLAN COPY FOR GNM NOT SUBMITTED. 3. INCOMPLETE GEOTTAGGED PHOTO SUBMITTED.
232	ADIGURU COLLEGE OF NURSING AT-KENDRAPARA, PO- KENDRAPARA, VIA- KENDRAPARA, DIST- KENDRAPARA, PIN- 754224	KENDR APARA	B.Sc- Nursing	60	CANCELLED BY THE INSTITUTION.
233	BRIHASPATI INSTITUTE OF MEDICAL SCIENCE, AT- AT-NEW BUSTAND, PO-JODA, VIA-JODA, DIST-KEONJHAR, PIN- 751028	KEONJ HAR	GNM	60	1. NEW BUILDING RELATED DOCUMENTS SUBMITTED WHICH WAS NOT INSPECTED.
234	UTKALIYA GLOBAL INSTITUTE OF MEDICAL SCIENCE, AT- HATADIHI, PO- HATADIHI, VIA- HATADIHI, DIST- KEONJHAR, PIN-758083	KEONJ HAR	GNM	60	1. TWO NUMBERS OF ACADEMIC BUILDING & ONE HOSTEL BUILDING CLARIFIED VIA VIDEO CALL, BUT ALL THE BUILDINGS ARTE UNDER LOCK & KEY.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
235	SHREE SAI COLLEGE OF MEDICAL SCIENCE, AT-SWAMPATNA, PO-SWAMPATNA, VIA-SWAMPATNA, DIST-KEONJHAR, PIN-758030	KEONJ HAR	GNM	60	1. ONE (G+1) BUILDING FOR ACADEMIC CLARIFIED VIA VIDEO CALL & ANOTHER BUILDING IS NOT OCCUPIED BY THE INSTITUTION.
236	BHUBANESWAR INSTITUTE OF MEDICAL SCIENCE, AT-KEONJHAR, PO-KEONJHAR, VIA-KEONJHAR, DIST-KEONJHAR, PIN-758002	KEONJ HAR	GNM	60	1. INSTITUTION BUILDING IS UNDER CONSTRUCTION AS PER PHOTO SUBMITTED. 2. IN PERSONAL HEARING BUILDING NOT CLARIFIED VIA VIDEO CALL
237	NEWTON COLLEGE OF NURSING, AT-KENDUJHAR, PO-KENDUJHAR, VIA-KENDUJHAR, DIST-KEONJHAR, PIN-758001	KEONJ HAR	ANM	60	APPLICATION CANCELLED BY THE INSTITUTION
238	NEWTON COLLEGE OF NURSING, AT-KENDUJHAR, PO-KENDUJHAR, VIA-KENDUJHAR, DIST-KEONJHAR, PIN-758001	KEONJ HAR	GNM		APPLICATION CANCELLED BY THE INSTITUTION
239	TRIVENI ACADEMY OF MEDICAL SCIENCES, AT-KUSUNPUR, PO-GHATAGAON, VIA-GHATAGAON, DIST-KEONJHAR, PIN-758027	KEONJ HAR	ANM	60	APPLICATION WITHDRAW VIA EMAIL
240	TRIVENI ACADEMY OF MEDICAL SCIENCES, AT-KUSUNPUR, PO-GHATAGAON, VIA-GHATAGAON, DIST-KEONJHAR, PIN-758027	KEONJ HAR	GNM	60	APPLICATION WITHDRAW VIA EMAIL
241	AASTHA INSTITUTE OF NURSING AND PARAMEDICAL SCIENCE, AT-DURGAPUR, PO-CHHATABAR, VIA-, DIST-KHORDA, PIN-752058	KHOR DA	GNM	60	INSTITUTION ABSENT ON PERSONAL HEARING
242	AASTHA INSTITUTE OF NURSING AND PARAMEDICAL SCIENCE, AT-DURGAPUR, PO-CHATABAR, VIA-, DIST-KHORDA, PIN-752058	KHOR DA	ANM	60	INSTITUTION ABSENT ON PERSONAL HEARING
243	ANWESHA INSTITUTE OF NURSING, AT-MAA GAURI COMPLEX, PO-BALIPATANA CHHAK,, VIA-SARIPUR, DIST-KHORDA, PIN-752102	KHOR DA	GNM	60	1. INFRASTRUCTUTRE NOT CLARIFIED VIA VIDEO CALL. 2. AS PER INSPECTION REPORT:- ACADEMIC BLOCK IS ONLY ONE BUILDING WHICH IS MISMATCH WITH BUILDING PLAN, COMPLETION & GEOTAGGED PHOTO.
244	ANWESHA INSTITUTE OF NURSING, AT-MAA GAURI COMPLEX, PO-BALIPATANA CHHAK, VIA-SARIPUR, DIST-KHORDA, PIN-752102	KHOR DA	ANM	30	1. INFRASTRUCTUTRE NOT CLARIFIED VIA VIDEO CALL. 2. AS PER INSPECTION REPORT:- ACADEMIC BLOCK IS ONLY ONE BUILDING WHICH IS MISMATCH WITH BUILDING PLAN, COMPLETION & GEOTAGGED PHOTO.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
245	AYUSH INSTITUTE OF MEDICAL SCIENCES, AT-BHAT KHURI, PO-GANGAPADA, VIA-, DIST-KHORDA, PIN-752054	KHOR DA	B.Sc-N	60	<u>PHYSICAL INSPECTION</u> 1. AS PER PHYSICAL INSPECTION REPORT THE TEAM FOUND THAT NO NURSING INSTITUTION HAS BEEN OPENED OF FUNCTIONING IN BHATAKHURI AREA. 2. THE INSTITUTION SUBMITTED EDITED GEO TAGGED PHOTO OF BDA MARKET COMPLEX, BARAMUNDA, BBSR DURING ONLINE INSPECTION
246	AYUSH INSTITUTE OF MEDICAL SCIENCES BHUBANESWAR, AT-BHATKHURI, PO-GANGAPADA, VIA-, DIST-KHORDA, PIN-752054	KHOR DA	GNM	60	<u>PHYSICAL INSPECTION</u> 1. AS PER PHYSICAL INSPECTION REPORT THE TEAM FOUND THAT NO NURSING INSTITUTION HAS BEEN OPENED OF FUNCTIONING IN BHATAKHURI AREA. 2. THE INSTITUTION SUBMITTED EDITED GEO TAGGED PHOTO OF BDA MARKET COMPLEX, BARAMUNDA, BBSR DURING ONLINE INSPECTION
247	B.B. CHHATOI SCHOOL & COLLEGE OF NURSING, AT-BHARATPUR, PO-BHARATPUR, VIA-BHUBANESWAR, DIST-KHORDA, PIN-751003	KHOR DA	B.Sc-N	60	1. FIRE SAFETY CERTIFICATE FORM-V FROM DFO. 2. INSTITUTION BUILDING IS UNDERCONSTRUCTION AS PER GEOTAGGED PHOTO, INSPECTION REPORT & STATEMENMT COPY SUBMITTED BY THE SECRETARY OF THE INSTITUTION.
248	B.B. CHHATOI SCHOOL & COLLEGE OF NURSING, AT-BHARATPUR, PO-BHARATPUR, VIA-BHUBANESWAR, DIST-KHORDA, PIN-751003	KHOR DA	GNM	60	1. FIRE SAFETY CERTIFICATE FORM-V FROM DFO. 2. INSTITUTION BUILDING IS UNDERCONSTRUCTION AS PER GEOTAGGED PHOTO, INSPECTION REPORT & STATEMENMT COPY SUBMITTED BY THE SECRETARY OF THE INSTITUTION.
249	BALABATI DEVI SCHOOL OF NURSING, AT-PLOT NO 424 LINGIPUR, PO-SISUPALGARH, VIA-SISUPALGARH, DIST-KHORDA, PIN-751002	KHOR DA	P.B.B.S c-N	60	1. FIRE SAFETY CERTIFICATE FORM V FROM DFO NOT SUBMITTED FOR TEACHING BLOCK-2 . 2. TEACHING BLOCK-1 GROUND FLOOR IS USED FOR COMMERCIAL PURPOSES AS PER GEOTAGGED PHOTO.
250	BHUBANESWAR INSTITUTE OF PHARMACY AND MEDICAL SCIENCE, AT-INFOVALLY, PO-INFOVALLY, VIA-BHUBANESWAR, DIST-KHORDA, PIN-752054	KHOR DA	ANM	60	APPLICATION CANCEL BY THE INSTITUTION
251	CARING HANDS SCHOOL OF NURSING, AT-TANGIAPADA, PO-GARH NIALA, VIA-KHORDHA, DIST-KHORDA, PIN-752057	KHOR DA	GNM	60	1. FORM-V FIRE SAFETY SAFETY CERTIFICATE NOT SUBMITTED.
252	CARING HANDS SCHOOL OF NURSING, AT-TANGIAPADA, PO-GARH NIALA, VIA-KHORDHA, DIST-KHORDA, PIN-752057	KHOR DA	B.Sc-N	60	REFUSED FOR INSPECTION OF B.Sc-N COURSE

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
253	ELITE INSTITUTE OF HEALTH SCIENCE, KNATABADA, PO-KANTABADA, VIA-CHANDAKA, DIST-KHORDA, PIN-752061	KHORDA	GNM	60	INSTITUTION ABSENT ON PERSONAL HEARING
254	ELITE INSTITUTE OF HEALTH SCIENCE, KNATABADA, PO-KANTABADA, VIA-CHANDAKA, DIST-KHORDA, PIN-752061	KHORDA	B.Sc-N	60	APPLICATION CANCEL BY THE INSTITUTION
255	GANDHI COLLEGE OF NURSING, SHIKSHA VIHAR, PO-PITAPALLI, VIA-BHUBANESWAR, DIST-KHORDA, PIN-752055	KHORDA	GNM	60	1. BUILDING IS NOT CLARIFIED VIA VIDEO CALL. 2. FIRE SAFETY CERTIFICATE NOT SUBMITTED.
256	GANDHI COLLEGE OF NURSING, SHIKSHA VIHAR, PO-PITAPALI, VIA-BHUBANESWAR, DIST-KHORDA, PIN-752055	KHORDA	B.Sc-N	60	1. BUILDING IS NOT CLARIFIED VIA VIDEO CALL. 2. FIRE SAFETY CERTIFICATE NOT SUBMITTED. 3. VALID REGISTRATION CERTIFICATE OF PRINCIPAL NOT SUBMITTED
257	INSTITUTE OF MEDICAL SCIENCE, PLOT NO-630/1482,BUDHIPADA, PO-SISILO, VIA-BALAKATI, DIST-KHORDA, PIN-752100	KHORDA	GNM	60	INSTITUTION ABSENT ON PERSONAL HEARING
258	KALINGA INSTITUTE OF PARAMEDICAL SCIENCE, PLOT NO:-D3/12, MADHUSUDHAN NAGAR, PO-DUMDUMA, VIA-NEAR COSMOPOLIS, KHANDAGIRI, DIST-KHORDA, PIN-751019	KHORDA	GNM	40	1. PRINCIPAL DOCUMENTS FOUND FABRICATED. 2. INSTITUTION BUILDING IS G+2 CLARIFIED BY VIDEO CALL. 3. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED.
259	KOUSTUV RESEARCH INSTITUTE OF MEDICAL SCIENCE, AT-BARAMUNDA, PO-BARAMUNDA, VIA-BHUBANESWAR, DIST-KHORDA, PIN-751003	KHORDA	GNM	60	<u>ALLEGATION RECEIVED (PHYSICAL INSPECTION)</u> 1. AS PER PHYSICAL INSPECTION REPORT IT IS CONFIRMED THAT DURING VIRTUAL INSPECTION THE INSTITUTION SHOWN THE ACADEMIC BUILDING IN A BIG MARKET COMPLEX PRESENTLY USING AS BOYS HOSTEL OF KOUSTUV ENGINEERING COLLEGE. 2. THE INSPECTION TEAM COULD NOT COMPLETE THE FULL PHYSICAL INSPECTION DUE TO NON-ATTENDANCE OF THE STAFF OF THE RESEARCH INSTITUTE OF MEDICAL SCIENCE. AS REGARDS BDA MARKET COMPLEX (G+1),IT IS A HUGE AREA HAVING MORE THAN 30 THOUSAND SQFT. WHICH NEEDS FIRE SAFETY CERTIFICATE FOR OPENING OF ANY NURSING INSTITUTION.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
260	KOUSTUV RESEARCH INSTITUTE OF MEDICAL SCIENCE, AT-BARAMUNDA, PO-BARAMUNDA, VIA-BHUBANESWAR, DIST-KHORDA, PIN-751003	KHOR DA	B.Sc-N	60	<u>ALLEGATION RECEIVED (PHYSICAL INSPECTION)</u> 1. AS PER PHYSICAL INSPECTION REPORT IT IS CONFIRMED THAT DURING VIRTUAL INSPECTION THE INSTITUTION SHOWN THE ACADEMIC BUILDING IN A BIG MARKET COMPLEX PRESENTLY USING AS BOYS HOSTEL OF KOUSTUV ENGINEERING COLLEGE. 2. THE INSPECTION TEAM COULD NOT COMPLETE THE FULL PHYSICAL INSPECTION DUE TO NON-ATTENDANCE OF THE STAFF OF THE RESEARCH INSTITUTE OF MEDICAL SCIENCE. AS REGARDS BDA MARKET COMPLEX (G+1),IT IS A HUGE AREA HAVING MORE THAN 30 THOUSAND SQFT. WHICH NEEDS FIRE SAFETY CERTIFICATE FOR OPENING OF ANY NURSING INSTITUTION.
261	KUNTALA DEVI COLLEGE OF NURSING KHORHA, AT-PLOT NO-1816,MAUZA - TARATUA,NEW BUS STAND ROAD, PO-KHORDHA, VIA-KHORDHA, DIST-KHORDA, PIN-752056	KHOR DA	P.B.B.S c-N	60	INSTITUTION ABSENT ON PERSONAL HEARING
262	LINGARAJ COLLEGE OF NURSING, AT-PLOT NO-22 LANE 8A SRIRAM VIHAR, DURGAMADHAB NAGAR, PO-GIRISH VIHAR BHARATPUR, VIA-BHUBANESWAR, DIST-KHORDA, PIN-751003	KHOR DA	GNM	60	1. REPEAT BUILDING- INSTITUTION BUILDING NOT CLARIFIED VIA VIDEO CALL.
263	NEELACHAL INSTITUTE OF MEDICAL SCIENCES, BHUBANESWAR, AT-PLOT NO-710, 715, JAMUJHARI, PO-CHHATABAR, VIA-BHUBANESWAR, DIST-KHORDA, PIN-752054	KHOR DA	M.Sc-N-25 (Child Health Nursing (Paediatric)-5, Community Health Nursing-5, Medical-Surgical Nursing-5, Mental Health (Psychiatric) Nursing-5, O&G Nursing-5)	25	INSTITUTION ABSENT ON PERSONAL HEARING

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
264	NEELACHAL INSTITUTE OF MEDICAL SCIENCES, BHUBANESWAR, AT- PLOT NO-710, 715, JAMUJHARI, PO- CHHATABAR, VIA- CHHATABAR, DIST- KHORDA, PIN-752054	KHOR DA	P.B.B.Sc -N	60	INSTITUTION ABSENT ON PERSONAL HEARING
265	PRASHANTI NURSING COLLEGE, AT- DARUTHENGA, PO- JUJHAGARH, VIA-, DIST-KHORDA, PIN- 751020	KHOR DA	GNM	60	INSTITUTION ABSENT ON PERSONAL HEARING
266	PRASHANTI NURSING COLLEGE, AT- DARUTHENGA, PO- JUJHAGARH, VIA-, DIST-KHORDA, PIN- 751020	KHOR DA	B.Sc-N	60	INSTITUTION ABSENT ON PERSONAL HEARING
267	RAMAMANI COLLEGE OF MEDICAL SCIENCE, AT-BHATAKHURI, PO- GANGAPADA, VIA- GANGAPADA, DIST- KHORDA, PIN-752054	KHOR DA	GNM	60	1. FABRICATED BUILDING PHOTO SUBMITTED CLARIFIED VIA VIDEO CALL & ACTUAL BUILDING IS C SHAPED. 2. ONLY TWO BLOCKS ARE AVAILABLE, BUT BUILDING PLAN & COMPLETION SUBMITTED FOR THREE BLOCKS WHICH IS INADEQUATE.
268	SARADA GLOBAL HEALTH SCIENCE COLLEGE, AT-PLOT NO: 882,PURANA PRADHAN,PANCHAYAT ROAD, PO-BALAKATI, VIA-BALIANTA, DIST- KHORDA, PIN-752100	KHOR DA	ANM	60	1. COMPLETE ROR NOT SUBMITTED. 2. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED. 3. 30 YEARS RENT AGREEMENT NOT SUBMITTED. 4. HOSPITAL AFFILIATION NOT SUBMITTED. 5. BUILDING PLAN & COMPLETION CERTIFICATE NOT SUBMITTED.
269	SARADA GLOBAL HEALTH SCIENCE COLLEGE, AT-PLOT NO.882,PURAN PRADHAN,PANCHAYAT ROAD,BALAKATI, PO- BALAKATI, VIA- BALIANTA, DIST- KHORDA, PIN-752100	KHOR DA	B.Sc-N	60	1. COMPLETE ROR NOT SUBMITTED. 2. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED. 3. 30 YEARS RENT AGREEMENT NOT SUBMITTED. 4. HOSPITAL AFFILIATION NOT SUBMITTED. 5. BUILDING PLAN & COMPLETION CERTIFICATE NOT SUBMITTED.
270	SARADA GLOBAL HEALTH SCIENCE COLLEGE, AT-PLOT NO:882, PURANA PRADHAN, PANCHAYAT ROAD, BALAKATI, PO- BALAKATI, VIA- BALIANTA, DIST- KHORDA, PIN-752100	KHOR DA	GNM	60	1. COMPLETE ROR NOT SUBMITTED. 2. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED. 3. 30 YEARS RENT AGREEMENT NOT SUBMITTED. 4. HOSPITAL AFFILIATION NOT SUBMITTED. 5. BUILDING PLAN & COMPLETION CERTIFICATE NOT SUBMITTED.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
271	SOUBHAGYA MANJARI INSTITUTE OF MEDICAL TECHNOLOGY, AT-MAHADEV NAGAR, PO-BUDHESWARI, VIA-JHARPADA, DIST-KHORDA, PIN-751006	KHORDA	GNM	60	1. THREE BUILDINGS ARE G+1 CONFIRMED BY VIDEO CALL, BUT NOT ARRANGED.
272	SRI JAGANNATH INSTITUTE OF PARAMEDICAL SCIENCE, AT-RAMCHANDRAPUR, PO-BHINGARPUR, VIA-, DIST-KHORDA, PIN-752115	KHORDA	ANM	60	INSTITUTION ABSENT ON PERSONAL HEARING
273	SRI JAGANNATH INSTITUTE OF PARAMEDICAL SCIENCE, AT-RAMCHANDRAPUR, PO-BHINGARPUR, VIA-, DIST-KHORDA, PIN-752115	KHORDA	GNM	60	INSTITUTION ABSENT ON PERSONAL HEARING
274	SRIGURU INSTITUTE OF NURSING AND MEDICAL SCIENCE (SINMS), AT-JAGANNATHPUR, PO-BHUBANESWAR, VIA-BHUBANESWAR, DIST-KHORDA, PIN-752101	KHORDA	B.Sc-N	60	1. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED. 2. MOU FOR PARENT HOSPITAL NOT SUBMITTED. 3. COMPLETE GEOTAGGED PHOTO OF TEACHING BLOCK NOT SUBMITTED.
275	SRIGURU INSTITUTE OF NURSING AND MEDICAL SCIENCE (SINMS), AT-JAGANNATHPUR, PO-BHUBANESWAR, VIA-BHUBANESWAR, DIST-KHORDA, PIN-752101	KHORDA	GNM	60	1. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED. 2. MOU FOR PARENT HOSPITAL NOT SUBMITTED. 3. COMPLETE GEOTAGGED PHOTO OF TEACHING BLOCK NOT SUBMITTED.
276	SRIGURU INSTITUTE OF NURSING AND MEDICAL SCIENCE (SINMS), AT-JAGANNATHPUR, PO-BHUBANESWAR, VIA-BHUBANESWAR, DIST-KHORDA, PIN-752101	KHORDA	ANM	60	1. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED. 2. MOU FOR PARENT HOSPITAL NOT SUBMITTED. 3. COMPLETE GEOTAGGED PHOTO OF TEACHING BLOCK NOT SUBMITTED.
277	TAPOI DEVI SCHOOL AND COLLEGE OF NURSING, AT-MATHA SAHI RAJAS, PO-RAJAS, VIA-RENCH, DIST-KHORDA, PIN-752114	KHORDA	GNM	50	1. COMPLETE GEOTAGGED PHOTO OF TWO G+1 BUILDING FOR ACADEMIC PURPOSE SUBMITTED, BUT IN THE BANNER OF ONE BUILDING IT IS MENTIONED AS HOSTEL BLOCK. 2. MOU OF PARENT HOSPITAL FOR 25 BEDED SUBMITTED.
278	YUVAAN COLLEGE OF NURSING, AT-MAHURA, PO-TAMANDO, VIA-KHORDHA, DIST-KHORDA, PIN-752054	KHORDA	ANM	60	1. JOINING LETTER OF PRINCIPAL NOT IN PROPER ORDER.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
279	YUVAAN COLLEGE OF NURSING, AT-MAHURA, PO-TAMANDO, VIA-KHORDHA, DIST-KHORDA, PIN-752054	KHORDA	GNM	60	1. JOINING LETTER OF PRINCIPAL NOT IN PROPER ORDER.
280	ANSHU COLLEGE OF NURSING, AT-TAMANDO, PO-TAMANDO, VIA-BHUBANESWAR, DIST-KHORDA, PIN-752054	KHORDA	GNM	60	1. ONE BUILDING (G+1) FOR ACADEMIC CLARIFIED VIA VIDEO CALL. 2. ANOTHER BUILDING FOR ACADEMIC WAS UNDER LOCK & KEY.
281	APTECH SCHOOL OF NURSING, AT-TAMANDO, PO-TAMANDO, VIA-TAMANDO, DIST-KHORDA, PIN-751028 ADDRESS CHANGED TO JATANI	KHORDA	B.Sc-N	60	ONE NEW ACADEMIC BUILDING PHOTO SUBMITTED AT THE TIME OF HEARING WHICH WAS NOT INSPECTED
282	PATITAPABANA COLLEGE OF NURSING KHORDHA, AT-JAGULIPATANA, PO-JAGULIPATANA, VIA-TARATUA, DIST-KHORDA, PIN-752056	KHORDA	M.Sc-N-25 (Child Health Nursing (Paediatric)-5, Community Health Nursing -5, Medical - Surgical Nursing -5, Mental Health (Psychiatric) Nursing -5, O&G Nursing -5)	25	INSTITUTION ABSENT ON PERSONAL HEARING
283	ASIAN INSTITUTE OF MEDICAL SCIENCES, AT-PLOT NO.-1342, PO-BRAMHANA SARANGI, VIA-BALIANANTA, DIST-KHORDA, PIN-752102	KHORDA	GNM	60	NOT INTERESTED
284	BHUBANESWAR NURSING & HEALTH SCIENCE COLLEGE, AT-PLOT NO-195/304, PO-BALIPATANA, VIA-BANIDAL, DIST-KHORDA, PIN-751223	KHORDA	GNM	60	NOT INTERESTED

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
285	BHUBANESWAR NURSING & HEALTH SCIENCE COLLEGE, AT-PLOT NO-195/304, PO-BALIPATANA, VIA-BANIDAL, DIST-KHORDA, PIN-751223	KHORDA	B.Sc-N	60	NOT INTERESTED
286	NIMSAR, AT-PLOT NO-1744 & 1746, PUBASASAN, PO-KAUSALYAGANGA, VIA-BHUBANESWAR, DIST-KHORDA, PIN-	KHORDA	M.Sc-N-25 (Child Health Nursing (Paediatric)-5, Community Health Nursing -5, Medical -Surgical Nursing -5, Mental Health (Psychiatric) Nursing -5, O&G Nursing -5)	25	REQUEST FOR DATE EXTEND
287	NIMSAR, AT-PLOT NO-1744 & 1746, PUBASASAN, PO-KAUSALYAGANGA, VIA-BHUBANESWAR, DIST-KHORDA, PIN-	KHORDA	GNM	60	REQUEST FOR DATE EXTEND
288	NIMSAR, AT-PLOT NO-1744 & 1746, PUBASASAN, PO-KAUSALYAGANGA, VIA-BHUBANESWAR, DIST-KHORDA, PIN-	KHORDA	B.Sc-N	60	REQUEST FOR DATE EXTEND
289	NIMSAR, AT-PLOT NO-1744 & 1746, PUBASASAN, PO-KAUSALYAGANGA, VIA-BHUBANESWAR, DIST-KHORDA, PIN-	KHORDA	P.B.B.Sc-N	60	REQUEST FOR DATE EXTEND
290	EKAMRA SCHOOL OF NURSING KHORDHA, PO-KHORDHA, VIA-, DIST-KHORDA, PIN-752055	KHORDA	GNM	60	DATE EXTENT TO 10.10.2025

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
291	LINGARAJ COLLEGE OF NURSING, AT-PLOT NO-22 LANE 8A SRIRAM VIHAR, DURGAMADHAB NAGAR, PO-GIRISH VIHAR BHARATPUR, VIA-BHUBANESWAR, DIST-KHORDA, PIN-751003	KHORDA	P.B.B.S c-N	60	REQUEST FOR DATE EXTEND
292	IPSITA SCHOOL OF NURSINGKHORDHA, PO-KHORDHA, VIA-KHORDHA, DIST-KHORDA, PIN-752055	KHORDA	GNM	60	NOT INTERESTED
293	DISHA SCHOOL OF NURSING, AT-KALINGA NAGAR, PO-TAMANDO, VIA-JANLA, DIST-KHORDA, PIN-752054	KHORDA	GNM	60	NOT JOIN
294	DRISHTI SCHOOL OF NURSING, AT-KALINGA NAGAR, PO-TAMANDO, VIA-JANLA, DIST-KHORDA, PIN-752054	KHORDA	GNM	60	NOT JOIN
295	MEDIVISTA INSTITUTE OF NURSING AND PHARMACY, AT-ALAKAR, PO-ALAKAR, VIA-JANLA, DIST-KHORDA, PIN-752054	KHORDA	B.Sc-N	60	NOT JOIN
296	MEDIVISTA INSTITUTE OF NURSING AND PHARMACY, AT-ALAKAR, PO-ALAKAR, VIA-JANLA, DIST-KHORDA, PIN-752054	KHORDA	GNM	60	NOT JOIN
297	MEDIVISTA INSTITUTE OF NURSING AND PHARMACY, AT-ALAKAR, PO-ALAKAR, VIA-JANLA, DIST-KHORDA, PIN-752054	KHORDA	ANM	60	NOT JOIN
298	SRI JAGANNATH COLLEGE OF PARAMEDICAL SCIENCE, AT-ORAKOLA, PO-ORAKOLA, SUNDERPADA, DIST-KHORDA	KHORDA	GNM	60	NOT JOIN
299	SRI JAGANNATH COLLEGE OF PARAMEDICAL SCIENCE, AT-ORAKOLA, PO-ORAKOLA, SUNDERPADA, DIST-KHORDA	KHORDA	ANM	60	NOT JOIN

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
300	SAIRUDRA COLLEGE OF NURSING, AT-RUDRAPUR, PO-NAHARAKANTA, VIA-PAHALA, DIST-KHORDA, PIN-751035	KHORDA	P.B.B.S c-N	60	NOT JOIN
301	AIGIRI INSTITUTE OF MEDICAL SCIENCE, AT-KALINGA VIHAR, PO-KALINGA VIHAR, VIA-BHUBANESWAR, DIST-KHORDA, PIN-751019	KHORDA	B.Sc-N	60	INSTITUTION NOT INTERESTED FOR BSC COURSE
302	BIDWAN INSTITUTE OF NURSING SCIENCE, AT-SEMILIGUDA, PO-SEMILIGUDA, VIA-SEMILIGUDA, DIST-KORAPUT, PIN-764020	KORAPUT	GNM	60	1. ONE BUILDING IS G+2 BUT 2ND FLOOR IS UNDER CONSTRUCTION. 2. OTHER TWO G+1 BUILDINGS ARE SHOWN VIA VIDEO CALL, BUT NO BUILDING IS ARRANGED AS PER GUIDELINES.
303	KANAKALATA INSTITUTE OF MEDICAL SCIENCE, AT-CANEL ROAD, PO-LINGARAJ NAGAR, VIA-JEYPORE, DIST-KORAPUT, PIN-764002	KORAPUT	GNM	60	1. TWO NEW BUILDING PHOTO SUBMITTED, BUT NOT CLARIFIED BY VIDEO CALL.
304	KANAKALATA INSTITUTE OF MEDICALSCIENCE, AT-CANEL ROAD, PO-LINGARAJ NAGAR, VIA-JEYPORE, DIST-KORAPUT, PIN-764002	KORAPUT	ANM	60	1. TWO NEW BUILDING PHOTO SUBMITTED, BUT NOT CLARIFIED BY VIDEO CALL.
305	MUKTI COLLEGE OF NURSING, AT-LAXMIPUR, PO-LAXMIPUR, VIA-LAXMIPUR, DIST-KORAPUT, PIN-7650131	KORAPUT	GNM	60	1. ONE G+1 BUILDING & ONE G BUILDING CONFIRMED VIA VIDEO CALL, BUT G BUILDING IS NOT ARRANGED.
306	RADHA KRISHNA INSTUTUTE OF NURSINGH SCHOOL, AT-PADWA, PO-PADWA, VIA-PADWA, DIST-KORAPUT, PIN-764038	KORAPUT	GNM	60	AS PER PHYSICAL INSPECTION REPORT:- 1. INSTITUTION BUILDING IS UNDER CONSTRUCTION & NOT READY TO START THE PROGRAMME
307	SRADHA INSTITUTE OF NURSING AND MEDICAL SCIENCE, AT-KORAPUT, PO-KORAPUT, VIA-KORAPUT, DIST-KORAPUT, PIN-764020	KORAPUT	GNM	60	REQUEST FOR DATE EXTEND
308	UTKRSH INSTITUTE OF NURSING, AT-KOTPADDA, VIA-KOTPADDA, DIST-KORAPUT, PIN-764058	KORAPUT	GNM	60	REQUEST FOR DATE EXTEND
309	BALABATI DEVI SCHOOL OF NURSING, AT-PLOT NO – 641/9214 LATHIGUDA, PO-DNK MALKANGIRI, VIA-MALKANGIRI, DIST-MALKANGIRI, PIN-764045	MALKANGIRI	ANM	60	AS PER PHYSICAL INSPECTION REPORT:- 1. INADEQUATE INFRASTRUCTURE (ONLY 15718 SQFT AVAILABLE). 2. BUILDINGS ARE UNDER CONSTRUCTION (RENOVATION WORK OF BLOCK-A GOING ON), BLOCK-B & C ARE UNDER LOCK & NOT READY TO START THE PROGRAMME

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
310	BALABATI DEVI SCHOOL OF NURSING, AT-PLOT NO – 641/9214 LATHIGUDA, PO-DNK MALKANGIRI, VIA-MALKANGIRI, DIST-MALKANGIRI, PIN-76405	MALK ANGIRI	GNM	60	AS PER PHYSICAL INSPECTION REPORT:- 1. INADEQUATE INFRASTRUCTURE (ONLY 15718 SQFT AVAILABLE). 2. BUILDINGS ARE UNDER CONSTRUCTION (RENOVATION WORK OF BLOCK-A GOING ON), BLOCK-B & C ARE UNDER LOCK & NOT READY TO START THE PROGRAMME
311	NILAKANTHA COLLEGE OF NURSING, AT-RAJALKONDA, PO-CHITRAKONDA, VIA-CHITRAKONDA, DIST-MALKANGIRI, PIN-764052	MALK ANGIRI	GNM	60	1. ONE G+1 BUILDING & ONE G BUILDING CLARIFIED VIA VIDEO CALL, BUT G BUILDING IS EMPTY.
312	BINODINI SCHOOL OF NURSING, AT-SHREE AUROBINDA LANE, PO-RAIRANGPUR, VIA-BARIPADA, DIST-MAYURABHANJ, PIN-757043	MAYU RABHA NJ	GNM	60	1. ONE BUILDING IS G+1, BUT ONE SIDE IS G+2 (UNDER CONSTRUCTION) CONFIRMED BY VIDEO CALL. 2. LIBRARY & LABS ARE NOT AVAILABLE IN THE ACADEMIC BUILDING.
313	DHANVI INSTITUTE OF HEALTH SCIENCES, AT-RAGHUNATHPUR, INDAPAH, PO-KAINFULIA, VIA-BARIPADA, DIST-MAYURABHANJ, PIN-757107	MAYU RABHA NJ	GNM	60	GNM COURSE CANCELLED BY THE INSTITUTION AS PER INSPECTION REPORT
314	KOUSTUV RESEARCH INSTITUTE OF MEDICAL SCIENCES, AT-KALAMA, PO-KALMA, VIA-BETNOTI,BAISINGHA, DIST-MAYURABHANJ, PIN-757082	MAYU RABHA NJ	GNM	60	1. COMPLETE GEO TAGGED PHOTO NOT SUBMITTED. 2. PRINCIPAL IS NOT HAVING 10 YEARS TEACHING EXPERIENCE AFTER M.Sc-N REGISTRATION.
315	KOUSTUV RESEARCH INSTITUTE OF MEDICAL SCIENCES, AT-KALAMA, PO-KALMA, VIA-BETNOTI,BAISINGA, DIST-MAYURABHANJ, PIN-757082	MAYU RABHA NJ	B.Sc-N	60	1. COMPLETE GEO TAGGED PHOTO NOT SUBMITTED. 2. PRINCIPAL IS NOT HAVING 10 YEARS TEACHING EXPERIENCE AFTER M.Sc-N REGISTRATION.
316	MITHILA DEVI SCHOOL OF NURSING, AT-MANADA, PO-MANADA, VIA-BISOI, DIST-MAYURABHANJ, PIN-757033	MAYU RABHA NJ	GNM	60	1. INFRASTRUCTURE NOT CLARIFIED VIA VIDEO CALL & REQUEST FOR PHYSICAL VERIFICATION.
317	NIBEDITA NURSING COLLEGE, AT-BARAPANAPSI, POTATO, VIA-KARANJIA, DIST-MAYURABHANJ, PIN-757036	MAYU RABHA NJ	GNM	60	1. INSTITUTION CONSIST OF ONLY ONE BUILDING & FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED. 2. LAB & LIBRARY NOT AVAILABLE. 3. ONE BUILDING WAS OCCUPIED BY THE RESIDENTIAL PEOPLE.
318	NIBEDITA NURSING COLLEGE, AT-BARAPANAPSI, POTATO, VIA-KARANJIA, DIST-MAYURABHANJ, PIN-757036	MAYU RABHA NJ	ANM	40	1. INSTITUTION CONSIST OF ONLY ONE BUILDING & FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED. 2. LAB & LIBRARY NOT AVAILABLE. 3. ONE BUILDING WAS OCCUPIED BY THE RESIDENTIAL PEOPLE.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COURSE NAME	PROPOSED INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
319	SMRUTI NURSING COLLEGE, AT-BISOI, PO-BISOI, VIA-BISOI, DIST-MAYURABHANJI, PIN-757033	MAYURABHANJI	GNM	60	1. TWO NUMBERS OF G+1 BUILDING CONFIRMED VIA VIDEO CALL, BUT ONE BUILDINGS 1ST FLOOR IS UNDER CONSTRUCTION.
320	SWAMI VIVEKANAND NURSING COLLEGE, AT-PLOT NO-1149, PO-BARIPADA, VIA-BARIPADA, DIST-MAYURABHANJI, PIN-753539	MAYURABHANJI	GNM	60	1. PRINCIPAL GIVEN STATEMENT THAT SHE HAS NO TEACHING EXPERIENCE, BUT FALSE EXPERIENCE CERTIFICATE SUBMITTED. 2. RENT AGREEMENT KHATA NO, PLOT NO MISMATCH WITH BUILDING PLAN & FIRE SAFETY CERTIFICATE. 3. COMPLETE GEOTAGGED PHOTO NOT SUBMITTED.
321	VEDANTH NURSING COLLEGE, AT-RAIRANGPUR, PO-RAIRANGPUR, VIA-RAIRANGPUR, DIST-MAYURABHANJI, PIN-757043	MAYURABHANJI	ANM	60	REQUEST FOR DATE EXTEND
322	VEDANTH NURSING COLLEGE, AT-RAIRANGPUR, PO-RAIRANGPUR, VIA-RAIRANGPUR, DIST-MAYURABHANJI, PIN-757043	MAYURABHANJI	GNM	60	REQUEST FOR DATE EXTEND
323	MEGHNA NURSING ACADEMY, AT-SATHILO, PO-BETNOTI, VIA-BETNOTI, DIST-MAYURABHANJI, PIN-757025	MAYURABHANJI	GNM	60	CALL SWITCH OFF NOT JOIN
324	SHREE GOKULAM NURSING COLLEGE, AT-WARD NO-12, PO-BARIPADA, VIA-PRAFULLA NAGAR, DIST-MAYURABHANJI, PIN-757001	MAYURABHANJI	GNM	60	NO RESPOND CALL
325	SHREE GOKULAM NURSING COLLEGE, AT-WARD NO-12, PO-BARIPADA, VIA-PRAFULLA NAGAR, DIST-MAYURABHANJI, PIN-757001	MAYURABHANJI	B.Sc-N	60	NO RESPOND CALL
326	MAA SANTOSHI COLLEGE OF NURSING, AT-RANGAMATIGUDA, PO-NABARANGPUR, VIA-NABARANGPUR, DIST-NABARANGPUR, PIN-764059	NABARANGPUR	B.Sc-N	60	1. THREE BUILDINGS ARE G+1 CONFIRMED BY VIDEO CALL, BUT TWO BUILDINGS ARE UNDER LOCK & KEY.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
327	NABARANGAPUR SCHOOL OF HEALTH SCIENCE, AT-BIHEND RCD HIGH SCHOOL, PO-NABARANGPUR, VIA-NABARANGPUR, DIST-NABARANGPUR, PIN-764059	NABARANGPUR	GNM	60	1. COMPLETE TRUST DEED NOT SUBMITTED. 2. THE BUILDING SCREENSHOT SUBMITTED BY THE INSPECTOR IN THE INSPECTION REPORT INDICATES THAT THE BUILDING IS OCCUPIED BY ANOTHER INSTITUTION- NOT CLARIFIED. 3. TEACHING EXPERIENCE CERTIFICATE OF PRINCIPAL FOUND FAKE.
328	NUCLEUS COLLEGE OF NURSING, AT-UMERKOTE, PO-UMERKOTE, VIA-UMERKOTE, DIST-NABARANGPUR, PIN-764076	NABARANGPUR	GNM	60	1. INFRASTRUCTURE NOT CLARIFIED VIA VIDEO CALL. 2. COMPLETE GEOTAGGED PHOTO OF TEACHING BLOCK NOT SUBMITTED
329	PENDRANI COLLEGE OF NURSING, AT-UMERKOTE, PO-UMERKOTE, VIA-, DIST-NABARANGPUR, PIN-764073	NABARANGPUR	GNM	60	1. ONE BUILDING (G+1) FOR ACADEMIC CLARIFIED VIA VIDEO CALL. 2. OTHER TWO BUILDINGS FOR ACADEMIC WERE UNDER LOCK & KEY. 3. PHOTO SUBMITTED DURING 7 DAYS COMPLIANCE MISMATCHED WITH THE PHOTO CLARIFIED VIA VIDEO CALL.
330	NAWARANGPUR INSTITUTE OF MEDICAL SCIENCE, AT-NAWARANGPUR, PO-NAWARANGPUR, VIA-NAWARANGPUR, DIST-NABARANGPUR, PIN-764077	NABARANGPUR	GNM	60	1. INSTITUTION NOT HAVING REGISTERED TRUST DURING INSPECTION. 2. DURING PERSONAL HEARING SUBMITTED A NEW TRUST.
331	ANNAPURNA SCHOOL OF NURSING, AT-NEAR RCD HIGH SCHOOL, PO-NABARANGAPUR, VIA-NABARANGAPUR, DIST-NABARANGPUR, PIN-764059	NABARANGPUR	GNM	60	REQUEST FOR DATE EXTEND
332	ANNAPURNA SCHOOL OF NURSING, AT-NEAR RCD HIGH SCHOOL, PO-NABARANGAPUR, VIA-, DIST-NABARANGPUR, PIN-764059	NABARANGPUR	ANM	60	REQUEST FOR DATE EXTEND
333	ANNAPURNA NURSING CENTRE, AT-DASPALLA, PO-DASPALLA, VIA-DASPALLA, DIST-NAYAGARH, PIN-752084	NAYAGARH	GNM	60	1. ONE (G+1) BUILDING FOR ACADEMIC CLARIFIED VIA VIDEO CALL, BUT ALL ROOMS ARE EMPTY & NOT ARRANGED. 2. OTHER ACADEMIC BUILDING IS NOT OCCUPIED BY THE INSTITUTION, ONLY DOCUMENTS SUBMITTED.
334	HEMANGINI NURSING COLLEGE, AT-ITAMATI, PO-ITAMATI, VIA-ITAMATI, DIST-NAYAGARH, PIN-752068	NAYAGARH	ANM	60	1. TWO (G+1) BUILDING FOR ACADEMIC CLARIFIED VIA VIDEO CALL, BUT ONE BUILDING IS WELL EQUIPPED & ONE BUILDING IS EMPTY. 2. JOINING LETTER OF PRINCIPAL NOT IN PROPER ORDER.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
335	HEMANGINI NURSING COLLEGE, AT- MAINROAD ITAMTI, PO- ITAMATI, VIA-ITAMATI, DIST-NAYAGARH, PIN-752068	NAYA GARH	GNM	60	1. TWO (G+1) BUILDING FOR ACADEMIC CLARIFIED VIA VIDEO CALL, BUT ONE BUILDING IS WELL EQUIPPED & ONE BUILDING IS EMPTY. 2. JOINING LETTER OF PRINCIPAL NOT IN PROPER ORDER.
336	PATHANI SAMANTA INSTITUTE OF NURSING, AT- NAYAGARG, PO- NAYAGARH, VIA-, DIST- NAYAGARH, PIN-752094	NAYA GARH	GNM	60	1. ONE NOS OF G+1 & TWO GROUND FLOOR BUILDING FOR ACADEMIC CLARIFIED VIA VIDEO CALL & ALL OTHER DOCUMENTS SUBMITTED 2. PARENT HOSPITAL MOU SUBMITTED FOR 80 BEDS
337	RABINDRA BHARATI COLLEGE OF NURSING, AT- DURGAPRASAD, PO- NAYAGARH, VIA- NAYAGARH, DIST- NAYAGARH, PIN-752069	NAYA GARH	B.Sc-N	60	APPLICATION CANCELLED BY THE INSTITUTION
338	FUTURE TIME BSC NURSING COLLEGE, AT-NUAPADA, PO- NUAPADA, VIA- NUAPADA, DIST- NUAPADA, PIN-766105	NUAPA DA	B.Sc-N	60	INSTITUTION ABSENT ON PERSONAL HEARING
339	FUTURE TIME BSC NURSING COLLEGE, AT-NUAPADA, PO- NUAPADA, VIA- NUAPADA, DIST- NUAPADA, PIN-766105	NUAPA DA	GNM	60	INSTITUTION ABSENT ON PERSONAL HEARING
340	IMPERIAL PRESIDENCY SCHOOL OF NURSING, AT-KHARIAR, PO- KHARIAR, VIA- KHARIAR, DIST- NUAPADA, PIN-766107	NUAPA DA	GNM	60	WRONG DOCUMENTS SUBMITTED BY THE INSTITUTION AT THE TIME OF INSPECTION & REQUESTED FOR RE-INSPECTION IN PERSONAL HEARING
341	JANAKALYAN NURSING COLLEGE, AT-KHARIAR, PO- KHARIAR, VIA- KHARIAR, DIST- NUAPADA, PIN-766107	NUAPA DA	GNM	60	1. ONLY ONE BUILDING CLARIFIED VIA VIDEO CALL, BUT THE BUILDING IS UNDER CONSTRUCTION.
342	KHARIAR INSTITUTE OF NURSING & MIDWIFERY, AT- KHARIAR, PO- KHARIAR, VIA- KHARIAR, DIST- NUAPADA, PIN-766107	NUAPA DA	GNM	60	1. ONE (G+1) BUILDING FOR ACADEMIC CLARIFIED VIA VIDEO CALL & ANOTHER BUILDINGS ARE LOCK & KEY WITHOUT INSTITUTE BANNER, NOT VERIFIED VIA VIDEO CALL
343	KHARIAR INSTITUTE OF NURSING AND MIDWIFERY, AT- KHARIAR, PO- KHARIAR, VIA- KHARIAR, DIST- NUAPADA, PIN-766107	NUAPA DA	ANM	60	1. ONE (G+1) BUILDING FOR ACADEMIC CLARIFIED VIA VIDEO CALL & ANOTHER BUILDINGS ARE LOCK & KEY WITHOUT INSTITUTE BANNER, NOT VERIFIED VIA VIDEO CALL
344	SENAPATI GLOBAL INSTITUTE OF MEDICAL SCIENCES, NUAPADA, AT-MAIN ROAD NUAPADA, PO- NUAPADA, VIA- NUAPADA, DIST- NUAPADA, PIN-766105	NUAPA DA	GNM	60	1. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COURSE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
345	SRI RAM SCHOOL OF NURSING, AT-AMALAPALI, PO-AREDA, VIA-NUAPADA, DIST-NUAPADA, PIN-766105	NUAPADA	GNM	60	1. INFRASTRUCTURE NOT CLARIFIED VIA VIDEO CALL.
346	IMPERIAL PRESIDENCY SCHOOL OF NURSING, AT-KERAPADAR, PO-BODEN, VIA-BODEN, DIST-NUAPADA, PIN-766111	NUAPADA	GNM	60	1. FIRE SAFETY CERTIFICATE FORM V FROM DFO NOT SUBMITTED. 2. TEACHING EXPERIENCE CERTIFICATE OF PRINCIPAL 5 YEARS NOT SUBMITTED. 3. AS PER GEOTAGGED PHOTO TWO ACADEMIC BUILDINGS ARE UNDER CONSTRUCTION.
347	HEALTH CARE SCHOOL OF NURSING, AT-PAGARPANI, PO-GODFULLA, VIA-NUAPADA, DIST-NUAPADA, PIN-766105	NUAPADA	GNM	60	INSTITUTION ABSENT ON PERSONAL HEARING
348	LIFE CARE SCHOOL OF NURSING, AT-MAGURPANI, PO-DARLIMUNDA, VIA-NUAPADA, DIST-NUAPADA, PIN-766105	NUAPADA	GNM	60	INSTITUTION ABSENT ON PERSONAL HEARING
349	INSTITUTE OF NURSING AND PARA MEDICAL NUAPADA, AT-UDYANBANDH, PO-KURESWAR, VIA-KOMNA, DIST-NUAPADA, PIN-766106	NUAPADA	GNM	60	1. TEACHING EXPERIENCE CERTIFICATE (5 YEARS) OF PRINCIPAL NOT SUBMITTED. 2. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED. 3. COMPLETE GEOTAGGED PHOTO OF TEACHING AND HOSTEL BLOCK FROM OUTSIDE (EACH BLOCK) WITH INSTITUTE BANNER & BUILDING COMPLETION CERTIFICATE NOT SUBMITTED.
350	DIBYA BHUMI COLLEGE OF NURSING, AT-CHANABEDA, PO-KHARIAR, VIA-KHARIAR, DIST-NUAPADA, PIN-766107	NUAPADA	ANM	60	REQUEST FOR DATE EXTEND
351	DIBYA BHUMI COLLEGE OF NURSING, AT-CHANABEDA, PO-KHARIAR, VIA-KHARIAR, DIST-NUAPADA, PIN-766108	NUAPADA	GNM	60	REQUEST FOR DATE EXTEND
352	BUDHARAJA SCHOOL OF NURSING, AT-KARANGAMAL, PO-KARANGAMAL, VIA-BODEN, DIST-NUAPADA, PIN-766118	NUAPADA	GNM	60	NOT JOIN
353	FUTURE TIME NURSING COLLEGE, AT-MAGURPANI, PO-DARLIMUNDA, VIA-NUAPADA, DIST-NUAPADA, PIN-766105	NUAPADA	GNM	60	INCOMING CALL NOT AVAL. ON THIS NO.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COURSE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
354	AYUSH INSTITUTE OF MEDICAL SCIENCE, AT-ASTARANG, PO-ASTARANG, VIA-ASTARANG, DIST-PURI, PIN-752109	PURI	GNM	60	1. ONE (G+1) BUILDING FOR ACADEMIC CLARIFIED VIA VIDEO CALL(ONLY ONE CLASS ROOM ARRANGED) 2. OTHER TWO BUILDINGS FOR ACADEMIC PURPOSE ARE NOT OCCUPIED BY THE INSTITUTION.
355	AYUSH INSTITUTE OF MEDICAL SCIENCE, AT-ASTARANG, PO-ASTARANG, VIA-ASTARANG, DIST-PURI, PIN-752109	PURI	ANM	60	1. ONE (G+1) BUILDING FOR ACADEMIC CLARIFIED VIA VIDEO CALL(ONLY ONE CLASS ROOM ARRANGED) 2. OTHER TWO BUILDINGS FOR ACADEMIC PURPOSE ARE NOT OCCUPIED BY THE INSTITUTION.
356	ONEIRIC INSTITUTE OF EDUCATION AND TECHNOLOGY, AT-TEISIMILE CHHAK, PO-TEISIMILE CHHAK, VIA-PIPILI, DIST-PURI, PIN-752104	PURI	GNM	60	1. ONE ACADEMIC BUILDING IS G+2 CLARIFIED VIA VIDEO CALL. 2. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED.
357	PRIYADARSHINI COLLEGE OF NURSING AND ALLIED HEALTH SCIENCES PURI, AT-BALIGUALI, PO-BALIGUALI, VIA-NAGAPATNA, DIST-PURI, PIN-752004	PURI	B.Sc-N	60	1. INFRASTRUCTURE NOT CLARIFIED VIA VIDEO CALL DUE TO DARKNESS.
358	SAIRAM INSTITUTE OF NURSING, AT-SIULA, PO-PIPILI, VIA-PIPILI, DIST-PURI, PIN-752104	PURI	B.Sc-N	60	1. TWO ACADEMIC BUILDING IS G+1 CLARIFIED VIA VIDEO CALL., BUT DOCUMENTS SUBMITTED THREE TEACHING BLOCKS.
359	SRIKHETRA COLLEGE OF NURSING, AT-BALIGHAT, TOTA MAHAVIR LANE, NEAR KANDHEI FACTORY, PO-BALIGHAT, VIA-PURI, DIST-PURI, PIN-752002	PURI	GNM	60	1. FIRE SAFETY CERTIFICATE FORM V FROM DFO NOT SUBMITTED F 2. TMOU OF PARENT HOSPITAL SUBMITTED FOR 80 BEDS
360	SWETAPADMA INSTITUTE OF NURSING AND MEDICAL SCIENCE, AT-NIMAPADA, PO-NIMAPADA, VIA-NIMAPADA, DIST-PURI, PIN-752106	Puri	GNM	60	1. ONE (G+1) BUILDING FOR ACADEMIC CLARIFIED VIA VIDEO CALL & ANOTHER TWO BUILDINGS ARE LOCK & KEY WITHOUT INSTITUTE BANNER, NOT VERIFIED VIA VIDEO CALL
361	SHRI JAGANNATH INSTITUTE OF MEDICAL SCIENCE, AT-BENAGAON, PO-GADASAHI, VIA-KANAS, DIST-PURI, PIN-752017	PURI	B.Sc-N	60	ALL DOCUMENTS SUBMITTED & FIRST FLOOR IS UNDER CONSTRUCTION OF TEACHING BLOCK 1, 2 & 3 2. INADEQUATRE INFRASTRUCTURE FOR B.Sc-N COURSE
362	SHRI JAGANNATH INSTITUTE OF MEDICAL SCIENCE, AT-BENAGAON, PO-GADASAHI, VIA-KANAS, DIST-PURI, PIN-752017	PURI	P.B.B.S c-N	60	NO EXISTING B.Sc-N COURSE

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
363	SRI LOKANATH SCHOOL OF NURSING, AT-PUBASASANA, PO-KAUSALYAGANGA, VIA-UTTARA, DIST-PURI, PIN-751002	PURI	GNM	60	APPLICATION CANCELLED BY THE INSTITUTION
364	MUNIGUDA NURSING COLLEGE, AT-MUNIGUDA, PO-MUNIGUDA, VIA-MUNIGUDA, DIST-RAYAGADA, PIN-765020	RAYA GADA	GNM	60	1. INFRASTRUCTURE NOT CLARIFIED VIA VIDEO CALL & ALL OTHER DOCUMENTS SUBMITTED.
365	MUNIGUDA NURSING COLLEGE, AT-MUNIGUDA, PO-MUNIGUDA, VIA-MUNIGUDA, DIST-RAYAGADA, PIN-765020	RAYA GADA	ANM	60	1. INFRASTRUCTURE NOT CLARIFIED VIA VIDEO CALL & ALL OTHER DOCUMENTS SUBMITTED.
366	FLORENCE INSTITUTE OF HEALTH AND RESEARCH, AT-RAYAGADA, PO-RAYAGADA, VIA-, DIST-RAYAGADA, PIN-765001	RAYA GADA	B.Sc-N	60	1. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED. 2. MINIMUM STANDARD REQUIREMENT NOT VERIFIED VIA VIDEO CALL.
367	KASS NURSING INSTITUTE, AT-HALWA, PO-TADAMA, VIA-TADAMA, DIST-RAYAGADA, PIN-765002	RAYA GADA	GNM	60	1. NEW DOCUMENTS FOR INFRASTRUCTURE SUBMITTED WHICH WAS NOT INSPECTED.
368	KASS NURSING INSTITUTE, AT-HALWA, PO-TADAMA, VIA-RAYAGADA, DIST-RAYAGADA, PIN-765002	RAYA GADA	ANM	60	1. NEW DOCUMENTS FOR INFRASTRUCTURE SUBMITTED WHICH WAS NOT INSPECTED. 2. MORE ONE NUMBER OF TEACHING STAFF WITH ALL RELEVANT.
369	SHREEM INSTITUTE OF HEALTH SCIENCE, AT-COOPERATIVE COLONY, OPPOSITE OF SWAMI VIVEKANANDA SCHOOL, PO-RAYAGADA, VIA-RAYAGADA, DIST-RAYAGADA, PIN-765001	Rayagada	B.Sc-N	50	APPLICATION CANCELLED BY THE INSTITUTION
370	SHREEM INSTITUTE OF HEALTH SCIENCE, AT-COOPERATIVE COLONY, OPPOSITE OF SWAMI VIVEKANANDA SCHOOL, PO-RAYAGADA, VIA-RAYAGADA, DIST-RAYAGADA, PIN-765001	Rayagada	GNM	50	APPLICATION CANCELLED BY THE INSTITUTION
371	DHARMAKIRTI INSTITUTE OF PARAMEDICAL AND NURSING SCIENCES, AT-MAIN ROAD, PO-PADMAPUR, VIA-PADMAPUR, DIST-RAYAGADA, PIN-765025	RAYA GADA	ANM	60	CANCELLED BY THE INSTITUTION

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
372	DHARMAKIRTI INSTITUTE OF PARAMEDICAL AND NURSING SCIENCES, AT-MAIN ROAD, PO-PADMAPUR, VIA-PADMAPUR, DIST-RAYAGADA, PIN-765025	RAYA GADA	GNM	60	CANCELLED BY THE INSTITUTION
373	GAYATRI COLLEGE OF NURSING, AT-GAYATRI VIHAR, PO-JAMADARPALI, VIA-SASON, DIST-SAMBALPUR, PIN-768200	SAMB ALPUR	P.B.B.S c-N	40	1. TEACHING EXPERIENCE CERTIFICATE FOR THE PRINCIPAL (DR. RITANJALI SAHOO) 15 YEARS & JOINING LETTER NOT SUBMITTED. 2. LEGIBLE BUILDING PLAN NOT SUBMITTED. 3. REGARDING INADEQUATE INFRASTRUCTURE- INSTITUTION REQUESTED FOR PHYSICAL INSPECTION.
374	KALINGA COLLEGE OF NURSING, AT-REDHAKHOL, PO-REDHAKHOL, VIA-REDHAKHOL, DIST-SAMBALPUR, PIN-768106	SAMB ALPUR	GNM	60	1. INFRASTRUCTURE NOT CLARIFIED VIA VIDEO CALL.
375	KALINGA COLLEGE OF NURSING, AT-REDHAKHOL, PO-REDHAKHOL, VIA-REDHAKHOL, DIST-SAMBALPUR, PIN-768106	SAMB ALPUR	B.Sc-N	60	1. INFRASTRUCTURE NOT CLARIFIED VIA VIDEO CALL.
376	KUNDALATA DEVI NURSING COLLEGE RAIRAKHOL, AT-CHATUNI, PO-REDHAKHOL, VIA-REDHAKHOL, DIST-SAMBALPUR, PIN-768106	SAMB ALPUR	B.Sc-N	60	1. COMPLETE GEO TAGGED PHOTO NOT SUBMITTED & INFRASTRUCTURE NOT CLARIFIED VIA VIDEO CALL.
377	KUNDALATA DEVI NURSING COLLEGE RAIRAKHOL, AT-CHATUNI, PO-REDHAKHOL, VIA-REDHAKHOL, DIST-SAMBALPUR, PIN-768106	SAMB ALPUR	ANM	60	1. COMPLETE GEO TAGGED PHOTO NOT SUBMITTED & INFRASTRUCTURE NOT CLARIFIED VIA VIDEO CALL.
378	KUNDALATA DEVI NURSING COLLEGE RAIRAKHOL, AT-CHATUNI, PO-REDHAKHOL, VIA-REDHAKHOL, DIST-SAMBALPUR, PIN-768106	SAMB ALPUR	GNM	60	1. COMPLETE GEO TAGGED PHOTO NOT SUBMITTED & INFRASTRUCTURE NOT CLARIFIED VIA VIDEO CALL.
379	SAMALESWARI SCHOOL OF NURSING, AT-MANGALPUR, PO-RENGALI, VIA-RENGALI, DIST-SAMBALPUR, PIN-768212	SAMB ALPUR	B.Sc-N	60	1. INSTITUTION BUILDING IS G+2. 2. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED. 3. BUILDING DOCUMENTS :- PLOT NO & KHATA NO MISMATCH WITH INSPECTION REPORT.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
380	SAMALESWARI SCHOOL OF NURSING, AT-MANGALPUR, PO-RENGALI, VIA-RENGALI, DIST-SAMBALPUR, PIN-768212	SAMB ALPUR	GNM	60	1. INSTITUTION BUILDING IS G+2. 2. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED. 3. BUILDING DOCUMENTS :- PLOT NO & KHATA NO MISMATCH WITH INSPECTION REPORT.
381	SRI JAGANNATH INSTITUTE OF PARAMEDICAL SCIENCE, AT-AINTTHAPALLI, PO-AINTTHAPALLI, VIA-, DIST-SAMBALPUR, PIN-768001	SAMB ALPUR	GNM	60	INSTITUTION ABSENT ON PERSONAL HEARING
382	SRI JAGANNATH INSTITUTE OF PARAMEDICAL SCIENCE, AT-AINTTHAPALLI, PO-AINTTHAPALLI, VIA-, DIST-SAMBALPUR, PIN-768001	SAMB ALPUR	ANM	60	INSTITUTION ABSENT ON PERSONAL HEARING
383	TEJAS COLLEGE OF NURSING AND PARAMEDICAL SCIENCE, KESAIBHAL, PO-KESAIBAHAL, VIA-KESAIBAHAL, DIST-SAMBALPUR, PIN-768228	SAMB ALPUR	P.B.B.S c-N	60	INSTITUTION ABSENT ON PERSONAL HEARING
384	SANJEEVANI NURSING COLLEGE, AT-SONEPUR, PO-SONEPUR, VIA-SONEPUR, DIST-SUBARNAPUR, PIN-767017	SUBAR NAPUR	GNM	60	NOT JOIN
385	SANJEEVANI NURSING COLLEGE, AT-SONEPUR, PO-SONEPUR, VIA-SONEPUR, DIST-SUBARNAPUR, PIN-767017	SUBAR NAPUR	ANM	60	NOT JOIN
386	MAA MANIKESWARI NURSING COLLEGE, AT-SUNDARGARH, PO-SUNDARGARH, VIA-SUNDARGARH, DIST-SUNDARGARH, PIN-770001	SUNDA RGARH	ANM	60	1. INFRASTRUCTURE NOT CLARIFIED VIA VIDEO CALL & ALL OTHER DOCUMENTS SUBMITTED.
387	MAA MANIKESWARI NURSING COLLEGE, AT-SUNDARGARH, PO-SUNDARGARH, VIA-SUNDARGARH, DIST-SUNDARGARH, PIN-770001	SUNDA RGARH	GNM	60	1. INFRASTRUCTURE NOT CLARIFIED VIA VIDEO CALL & ALL OTHER DOCUMENTS SUBMITTED.
388	ADVIK INSTITUTE OF MEDICAL SCIENCE, AT-JALDA, PO-JALDA, VIA-ROURKELA, DIST-SUNDARGARH, PIN-769043	SUNDA RGARH	GNM	60	INSTITUTION BUILDING WAS CHANGED WHICH WAS NOT INSPECTED

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COUR SE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
389	GAYATRI COLLEGE OF NURSING, AT- KENDUPARA, PO- SANKARA, VIA- SUNDARGARH, DIST- SUNDARGARH, PIN- 770020	SUNDA RGARH	GNM	60	1. ACADEMIC BUILDING CHANGED WHICH WAS NOT INSPECTED.
390	KHANDADHAR NURSING COLLEGE, AT-NH-143, PO- RAJAMUNDA, VIA- LAHUNIPADA, DIST- SUNDARGARH, PIN- 770040	SUNDA RGARH	ANM	60	INSTITUTION ABSENT ON PERSONAL HEARING
391	MAA KUMARI SCHOOL OF NURSING, AT- COLLEGE ROAD (NEAR RAJAMUNDA CHOWK), PO-BONAIGARH, VIA-, DIST-SUNDARGARH, PIN-770038	SUNDA RGARH	GNM	60	1. INSTITUTION BUILDING CHANGED WHICH WAS NOT INSPECTED. 2. NO DOCUMENTS REGARDING INFRASTRUCTURE SUBMITTED.
392	MUKTI COLLEGE OF NURSING (GNM), AT- LUHARADHIPA, PO- SUNDARGARH, VIA- SUNDARGARH, DIST- SUNDARGARH, PIN- 770001	SUNDA RGARH	GNM	60	1. ONE ACADEMIC BUILDING CHANGED WHICH WAS NOT INSPECTED.
393	R.I.T NURSING, AT-RIT, PLOT NO-411&417, PO- KALUNGA, VIA- BRAHMANI TARANG, DIST-SUNDARGARH, PIN-770031	SUNDA RGARH	GNM	40	1. FIRE SAFETY CERTIFICATE FORM V FROM DFO NOT SUBMITTED.
394	R.I.T NURSING, AT-RIT, PLOT NO 411 &417, PO- KALUNGA, VIA- BRAHMANI TARANG, DIST-SUNDARGARH, PIN-770031	SUNDA RGARH	ANM	30	1. FIRE SAFETY CERTIFICATE FORM V FROM DFO NOT SUBMITTED.
395	REGIONAL COLLEGE OF NURSING, AT- RANGILA CHOWK, PO- JALDA, VIA- ROURKELA, DIST- SUNDARGARH, PIN- 759043	SUNDA RGARH	GNM	60	1. COMPLETE GEOTAGGED PHOTO NOT SUBMITTED. 2. ACADEMIC BUILDING IS ONE CLARIFIED VIA VIDEO CALL & GROUND FLOOR IS USED FOR COMMERCIAL PURPOSES 3. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED.
396	ROSALIA INSTITUTE OF NURSING, AT- PURUSHOTTAM VIHAR, PO-MANDIAKUDAR, VIA-10TH KM HIGHWAY, DIST- SUNDARGARH, PIN- 769034	SUNDA RGARH	B.Sc-N	60	1. TEACHING EXPERIENCE CERTIFICATE OF PRINCIPAL 15 YEARS NOT SUBMITTED. 2. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED.
397	ROSALIA INSTITUTE OF NURSING, AT- PURUSHOTTAM VIHAR, PO-MANDIAKUDAR, VIA-10TH KM HIGHWAY, DIST- SUNDARGARH, PIN- 769034	SUNDA RGARH	GNM	60	1. TEACHING EXPERIENCE CERTIFICATE OF PRINCIPAL 15 YEARS NOT SUBMITTED. 2. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED.

SL NO	NAME & ADDRESS OF THE INSTITUTION	DISTR ICT	COURSE NAME	PROPOSE D INTAKE CAPACITY	REASON FOR NOT RECOMMENDATION
1	2	3	4	5	6
398	ROSALIA INSTITUTE OF NURSING, AT-PURUSHOTTAM VIHAR, PO-MANDIAKUDAR, VIA-10 KM HIGHWAY, DIST-SUNDARGARH, PIN-769034	SUNDAR GARH	ANM	60	1. TEACHING EXPERIENCE CERTIFICATE OF PRINCIPAL 15 YEARS NOT SUBMITTED. 2. FIRE SAFETY CERTIFICATE FORM-V FROM DFO NOT SUBMITTED.
399	SHANTI DEVI SCHOOL & COLLEGE OF NURSING, AT-UJALPUR, PO-UJALPUR, VIA-TANGARPALI, DIST-SUNDARGARH, PIN-770011	SUNDAR GARH	GNM	60	1. TWO NUMBERS OF BUILDING CLARIFIED VIA VIDEO CALL. 2. FIRE SAFETY CERTIFICATE FORM V FROM DFO NOT SUBMITTED. 3. INSTITUTION PHOTO MISMATCHED WITH INSPECTION REPORT & 7 DAYS COMPLIANCE.
400	SHREE RAM SCHOOL OF NURSING, AT-PLOT NO 255/331 SB-20, PO-SHAKTINAGAR, VIA-SHAKTINAGAR, DIST-SUNDARGARH, PIN-769014	SUNDAR GARH	B.Sc-N	40	INSTITUTION ABSENT ON PERSONAL HEARING
401	SRI JAGANNATH INSTITUTE OF PARAMEDICAL SCIENCE, AT-TANASANKARA, PO-TANASANKARA, VIA-, DIST-SUNDARGARH, PIN-770001	SUNDAR GARH	ANM	60	INSTITUTION ABSENT ON PERSONAL HEARING
402	SRI JAGANNATH INSTITUTE OF PARAMEDICAL SCIENCE, AT-TANASANKARA, PO-TANASAKARA, VIA-, DIST-SUNDARGARH, PIN-770001	SUNDAR GARH	GNM	60	INSTITUTION ABSENT ON PERSONAL HEARING
403	KIMS INSTITUTE OF MEDICAL SCIENCE, AT-SUNDERGARH, PO-SUNDERGARH, VIA-SUNDERGARH, DIST-SUNDARGARH, PIN-770011	SUNDAR GARH	ANM	40	APPLICATION CANCELLED BY THE INSTITUTION
404	RAJGANGPUR SCHOOL OF NURSING, AT-RAJGANGPUR, PO-RAJGANGPUR, VIA-RAJGANGPUR, DIST-SUNDARGARH, PIN-770017	SUNDAR GARH	GNM	60	REQUEST FOR DATE EXTEND
405	SEVA SCHOOL OF NURSING, AT-BANEI, PO-BANEI, VIA-BANEI, DIST-SUNDARGARH, PIN-770038	SUNDAR GARH	GNM	60	REQUEST FOR DATE EXTEND
406			P.B.B.S c-N	60	DATA NOT FOUND

Sd/-

DMET (O)-cum-Chairman, ONMRC